

ISLAND SUSTAINABLE ENERGY ACTION PLAN

ISLAND OF KOUFONISI

Date

30/4/2012

Executive summary

The Municipality of Naxos and Small Cyclades by signing the Pact of Islands takes action towards sustainable development and the fight against climate change at local level. Together with other Greek and European islands commits to meet the targets set by the European Union for the reduction of greenhouse gas emissions.

The long-term vision of the local authorities is to succeed into restricting the rapidly increasing CO₂ emissions of the island by introducing the maximum amount of renewable energy sources in the energy production and demand side and by promoting the adoption of energy saving and efficiency in all activity sectors.

Objectives and Targets


The Municipality of Naxos and Small Cyclades has developed different sustainable energy action plans, for each one of the islands under its administration, highlighting the special needs and potentials of each island. Individual priorities and targets are set for each island. The present action plan concerns the island of Koufonisi and sets clear and ambitious objectives and targets concerning the island's local energy policy.

The objectives set for the target year 2020 focus on increasing the island's energy supply security, reducing its dependence on fuel imports and finally reducing the island's energy and CO₂ emissions footprint.

Specifically, the targets set for 2020 focus on reducing by 80% the primary energy demand and by 84% the CO₂ emissions in comparison to the projections of the business as usual scenario, meeting the 32% of the primary energy demand and the 58% of the electricity demand by the use of local renewable energy sources.

Energy balance and CO₂ emissions in the base year

The year 2005 was selected as base year for the energy planning process of Koufonisi's ISEAP, following the EU targets set for fighting climate change. In the following figures Koufonisi's energy profile for the year 2005 is shown. The strong dependence on fossil fuels is apparent.



Main fields of action

A wide range of actions is included in the action plan dealing with all the major activity sectors of the island. The selection of actions was carried out after considering several alternative scenarios with the scope to maximize the emissions reduction target with the minimum cost in the given time framework considering also the lately formulated national and local economic conditions.

Coordination structure

A two level coordination and organizational structure is decided in order to ensure the efficient implementation of the ISEAP. The steering committee on the one hand will take over the coordination during the ISEAP's different phases while on the other hand the work group will mainly focus on the realization of the actions, the monitoring of the ISEAP and the possible updating of the ISEAP contents.

Budget and Financing

The budget will be finalized upon the final approval of the ISEAP.

Securing the necessary financing sources and instruments for the successful implementation of the ISEAP will be one of the major challenges for the Municipality. The allocation of Municipal and Regional budget combined with loans, revolving funds, citizens cooperatives, third party financing, private investments and public and private sector partnerships are some of the financing schemes to be used for the realization of the ISEAP.

Contents

1. CONTEXT	1
1.1. Geography and territory	1
1.2. Demography	2
1.3. Economy.....	3
1.4. Political and administrative structures.....	3
2. OVERALL STRATEGY.....	5
2.1. Current framework and vision for the future	5
2.2. Objectives and targets	5
2.3. Strategic guidelines.....	6
3. ENERGY BALANCE AND EMISSION INVENTORY.....	7
3.1. Baseline situation.....	7
3.1.1. Final energy demand	7
3.1.2. Energy conversion	16
3.1.3. Primary energy demand.....	17
3.1.4. Emissions of carbon dioxide.....	18
3.2. Projections to 2020 – Business as usual scenario	23
3.2.1. Final energy demand	24
3.2.2. Energy conversion	26
3.2.3. Primary energy demand.....	26
3.2.4. Emissions of carbon dioxide.....	27
3.3. Projections to 2020 – Action plan scenario	29
3.3.1. Final energy demand	30
3.3.2. Energy conversion	32
3.3.3. Primary energy demand.....	33
3.3.4. Emissions of carbon dioxide.....	34
4. ACTIONS	39
4.1. Residential	40
4.2. Primary sector.....	42
4.3. Secondary sector.....	43
4.4. Tertiary sector.....	44
4.5. Transports.....	48
4.6. Secondary energy production and energy fluxes.....	50
4.7. Land use planning.....	51
4.8. Public procurement of products and services	51
4.9. Citizen and stakeholders.....	51
5. ORGANIZATIONAL AND FINANCIAL MECHANISMS.....	52
5.1. Coordination and organizational structures.....	52
5.2. Staff capacity	52
5.3. Involvement of stakeholders	53
5.4. Budget	53
5.5. Financing sources and instruments	53
5.6. Monitoring and follow-up.....	53

Tables

Table 1.1. Land use	1
Table 1.2. Population evolution (source: EL.STAT)	2
Table 1.3. Occupational Data per activity sector.....	3
Table 3.1. Final energy demand of the residential sector in base year 2005 [MWh].....	8
Table 3.2. Final energy demand of the primary sector in base year 2005 [MWh]	10
Table 3.3. Final energy demand of the secondary sector in base year 2005 [MWh].....	10
Table 3.4. Final energy demand of the tertiary sector in base year 2005 [MWh]	12
Table 3.5. Final energy demand of the transports sector in base year 2005 [MWh]	14
Table 3.6. Final energy demand per sector and energy carrier	16
Table 3.7. Primary energy demand per energy carrier [MWh]	17
Table 3.8. CO2 emissions of the residential sector per sub-sector and energy carrier [tons]	19

Table 3.9. CO2 emissions of the primary sector per sub-sector and energy carrier [tons].....	20
Table 3.10. CO2 emissions of the secondary sector per sub-sector and energy carrier [tons]	20
Table 3.11. CO2 emissions of the tertiary sector per sub-sector and energy carrier [tons].....	21
Table 3.12. CO2 emissions of the transports sector per sub-sector and energy carrier [tons].....	22
Table 3.13. BAU Scenario final energy demand per sector and energy carrier in 2020.....	25
Table 3.14. ISEAP Scenario final energy demand per sector and energy carrier in 2020	31
Table 3.15. Contribution in the CO ₂ emissions reduction of each sector in comparison to the BAU scenario in 2020.....	38
Table 4.1. ISEAP expected results in 2020 for every activity sector	39
Table 4.2. Details for the actions planned in the residential sector	41
Table 4.3. Summary table of the actions planned in the residential sector	42
Table 4.4. Details for the actions planned in the primary sector	42
Table 4.5. Summary table of the actions planned in the primary sector.....	42
Table 4.6. Details for the actions planned in the secondary sector	44
Table 4.7. Summary table of the actions planned in the secondary sector	44
Table 4.8. Details for the actions planned in the tertiary sector	48
Table 4.9. Summary table of the actions planned in the tertiary sector.....	48
Table 4.10. Details for the actions planned in the transports sector.....	50
Table 4.11. Summary table of the actions planned in the transports sector.....	50
Table 4.12. Details for the actions planned in the secondary energy production sector	50
Table 4.13. Summary table of the actions planned in the secondary energy production sector	50

Figures

Figure 1.1. The Island of Koufonisia islands	2
Figure 3.1. Distribution of residential final energy demand among the different sub-sectors	8
Figure 3.2. Distribution of the residential sector FED to the different energy carriers	9
Figure 3.3. Distribution of hot water energy demand to the different energy carriers.....	9
Figure 3.4. Distribution of heating and cooling energy demand to the different energy carriers	9
Figure 3.5. Distribution of cooking energy demand to the different energy carriers	9
Figure 3.6. Distribution of the primary sector FED to the different energy carriers.....	10
Figure 3.7. Distribution of the secondary sector FED to the different sub-sectors	11
Figure 3.8. Distribution of the secondary sector FED to the different energy carriers	11
Figure 3.9. Distribution of manufacturing sector energy demand to the different energy carriers	11
Figure 3.10. Distribution of construction sector energy demand to the different energy carriers	11
Figure 3.11. Distribution of the tertiary sector FED to the different sub-sectors.....	12
Figure 3.12. Distribution of the tertiary sector FED to the different energy carriers.....	13
Figure 3.13. Distribution of wholesale and retail trade sector energy demand to the different energy carriers	13
Figure 3.14. Distribution of accommodation and food service activities sector energy demand to the different energy carriers.....	13
Figure 3.15. Distribution of general public administration and social security sector energy demand to the different energy carriers.....	13
Figure 3.16. Distribution of human health and social work activities sector energy demand to the different energy carriers	14
Figure 3.17. Distribution of education sector energy demand to the different energy carriers	14
Figure 3.18. Distribution of the transports sector FED to the different sub-sectors.....	15
Figure 3.19. Distribution of the tertiary sector FED to the different energy carriers.....	15
Figure 3.20. Distribution of Final Energy Demand to the different sectors.....	16
Figure 3.21. Distribution of Final Energy Demand to the different energy carriers.....	16
Figure 3.22. Distribution of Final Energy Demand to the different energy carriers.....	17
Figure 3.23. Primary energy demand distribution to the different energy carriers	18
Figure 3.24. Distribution of overall CO ₂ emissions from final use to the different sectors	18
Figure 3.25. CO ₂ emissions from final use in the residential sector	19
Figure 3.26. CO ₂ emissions from final use in the secondary sector	20
Figure 3.27. CO ₂ emissions from final use in the tertiary sector	21
Figure 3.28. CO ₂ emissions from final use in the transports sector.....	22
Figure 3.29. BAU Scenario – Growing trend of Primary Energy Demand.....	23
Figure 3.30. BAU Scenario – Growing trend of CO ₂ emissions from final use.....	23
Figure 3.31. BAU Scenario – Final Energy Demand per energy source	24
Figure 3.32. BAU Scenario – Final Energy Demand per activity sector	24

Figure 3.33. BAU Scenario – Final Energy Demand per energy carrier in 2020	25
Figure 3.34. BAU Scenario – Final Energy Demand per sector in 2020	25
Figure 3.35. BAU Scenario – Secondary Energy Conversion	26
Figure 3.36. BAU Scenario – Primary Energy Demand projections per energy carrier.....	26
Figure 3.37. BAU Scenario – Primary Energy Demand per energy carrier in 2020	27
Figure 3.38. BAU Scenario – CO ₂ emissions from final use projections per energy carrier.....	27
Figure 3.39. BAU Scenario – CO ₂ emissions from final use per energy carrier in 2020	28
Figure 3.40. BAU Scenario – CO ₂ emissions from final use projections per sector	28
Figure 3.41. ISEAP Scenario – Growing trend of Primary Energy Demand.....	29
Figure 3.42. ISEAP Scenario – Growing trend of CO ₂ emissions from final use.....	29
Figure 3.43. ISEAP Scenario – Final Energy Demand per energy source.....	30
Figure 3.44. ISEAP Scenario – Final Energy Demand per activity sector.....	30
Figure 3.45. ISEAP Scenario – Final Energy Demand per energy carrier in 2020.....	31
Figure 3.46. ISEAP Scenario – Final Energy Demand per sector in 2020	31
Figure 3.47. ISEAP Scenario – Growth trend of Secondary Energy Conversion	32
Figure 3.48. ISEAP Scenario – Secondary Energy Conversion per energy carrier in 2020.....	32
Figure 3.49. ISEAP Scenario – Growth trend of Primary Energy Demand per energy carrier	33
Figure 3.50. ISEAP Scenario – Primary Energy Demand per energy carrier in 2020	33
Figure 3.51. ISEAP Scenario – Growth trend of CO ₂ emissions from final use per energy carrier	34
Figure 3.52. ISEAP Scenario – CO ₂ emissions from final use per energy carrier in 2020	34
Figure 3.53. ISEAP Scenario – CO ₂ emissions from final use projections per sector	35
Figure 3.54. Comparison of CO ₂ emissions from final use between BAU and ISEAP Scenarios in the residential sector	35
Figure 3.55. Comparison of CO ₂ emissions from final use between BAU and ISEAP Scenarios in the primary sector.....	36
Figure 3.56. Comparison of CO ₂ emissions from final use between BAU and ISEAP Scenarios in the secondary sector	36
Figure 3.57. Comparison of CO ₂ emissions from final use between BAU and ISEAP Scenarios in the tertiary sector.....	37
Figure 3.58. Comparison of CO ₂ emissions from final use between BAU and ISEAP Scenarios in the transports sector.....	37
Figure 3.59. Comparison of CO ₂ emissions from final use between BAU and ISEAP Scenarios in the secondary energy conversion sector	38

1. CONTEXT

1.1. Geography and territory

Koufonisia is a cluster of two islands, Kato (Lower) and Pano (Upper) Koufonisi that belongs to the complex of Small East Cyclades. Geographically, it is located on the southeast side of Naxos and on the west side of Amorgos. A 200-meter strait separates the inhabited north island from the non-inhabited south island. Koufonisia also include the tiny, uninhabited island of Keros, which is a protected archaeological site from which a good number of ancient Cycladic art has been excavated in the 20th century.

Kato (Lower) Koufonisi is located next to Pano Koufonisi, Shoinousa and Keros. It has an extent of 4.3 km² and it's almost uninhabited, as there are only a few rural houses on it. The most characteristic sight of the island is the small church of Panagia that is built on the jetty, on top of ancient ruins. In its small, graphic port anchor only fish and tourist boats that take the tourists to the beaches of the island.

Pano Koufonisi or Koufonisi is the smallest and most densely populated island in Cyclades islands. It has an extent of 3.5 km² and its population amounts to 366 residents. The main occupation of the locals is fishing, so Koufonisi is a true fish village where the visitors can eat fish and seafood in abundance. Comparably to its population, it has one of the biggest fishing fleets in Greece. Chora that is built in the southwest coast of Koufonisi is a characteristic example of Cycladic architecture. Its heavenly beaches- the majority of them are sandy. Koufonisi has been developed the last ten years, as far as tourism is concerned, so the natural beauty and its traditional color have remained fadeless.

Koufonisia generally have extremely moderate temperatures but its proximity to the sea creates humid conditions as well. Summers and winters are typically mild on Koufonisia.

In terms of infrastructure, there are no turnpikes in the islands so cars and motorcycles are not necessary. Furthermore, distances on the island can be covered on foot, by small boats that make frequent runs to the beaches and by bicycles that are rent here. There are problems with the local land transportation, because of limited services.

The following table presents the land use as percentage of the total area of the islands.

Area under cultivation and fallow land	Pastures	Forests	Area under water	Areas occupied by the locality (buildings, roads, etc)	Other areas
5,8%	58,5%	0,0%	1,2%	0,0%	34,5%

Table 1.1. Land use



Figure 1.1. The Island of Koufonisia islands

1.2. Demography

Regarding the variation in the population of Koufonisia, by the '90s had a raising tendency. According to current demographics, there is an increased population of the island by almost 16%, which is moreover consistent with the overall population growth of the Cyclades prefecture (18.3%).

Year	Population	Growth rate
1981	232	-
1991	275	+18.5%
2001	366	+33.1%

Table 1.2. Population evolution (source: EL.STAT)

1.3. Economy

Agriculture is an important economic sector with fishing the main activity for local people.

The secondary sector is smaller than it is of the prefecture of Cyclades. Therefore, the sector with the greatest growth is that of construction.

Turism is the most rapidly increasing sector for Koufonisia islands.


Activity Sectors	Percentage (%)
Primary	55,9
Secondary	12,7
Tertiary	23,2

Table 1.3. Occupational Data per activity sector

1.4. Political and administrative structures

Koufonisia belongs in the region of South Aegean and with the late administrative reformation the former municipalities with Naxos and the small islands Donousa, Iraklia and Schinoussa consolidated into the municipality of Naxos and Small Cyclades.

The political and administrative organisational structure of Koufonisia islands in relation to the energy field and sustainable development is presented in the following diagram.



PPC: Public Power Corporation

RAE: Regularity Authority for Energy

HTSO: Hellenic Transmission System Operator S.A.

MEECC: Ministry of Environment Energy & Climate Change

CRES: Centre for Renewable Energy Sources

DAFNI: Network of Aegean Islands for Sustainability

2. OVERALL STRATEGY

2.1. Current framework and vision for the future

Koufonisi island, a small island part of the Small Eastern Cyclades group remain until today rather isolated from the rest of the neighbouring islands. However, Donousa the last years has also become a popular touristic destination and as a result the population of the island is increasing during summertime when tourists and people with origins from the island arrive.

The permanent population of the island is expected to rise by 10% in 2020, resulting also to increasing energy demand. According to the business as usual scenario the CO₂ emissions for the island of Koufonisi are expected to increase by 63% until 2020 in comparison to 2005 levels.

Koufonisi is electrically interconnected with several neighbouring islands with the power station located in Paros island, using mainly diesel and fuel oil as primary energy source. Also, large amounts of fossil fuels are imported to the island through boat transfers to cover mainly the demand of the transport and heating sectors. As a result the island relies greatly to energy imports.

In this sense, the Municipality of Naxos and Small Cyclades aims to reduce the dependence of the island from energy imports by promoting the local energy production through small and medium scale RES installations with the expectation to cover 32% of the island's primary energy demand in 2020. In addition to that in order to increase the energy security of the island and reduce the per capita cost of energy and energy footprint demand side management actions will be promote and implemented by the municipality setting an example of effective energy saving and increased energy efficiency.

2.2. Objectives and targets

In December 2008 the EU adopted an integrated energy and climate change policy, including ambitious targets¹ for 2020. It hopes to set Europe on the right track - towards a sustainable future with a low-carbon, energy-efficient economy by:

- cutting greenhouse gases by 20% (30% if international agreement is reached)
- reducing energy consumption by 20% through increased energy efficiency
- meeting 20% of our energy needs from renewable sources.

¹ The targets refer to accumulated result among the whole of EU. However, the targets differ among the Member States.

Greece as an EU Member State must comply with the EU policy. The targets on national level are translated into 4% reduction of greenhouse gases according to 2005 levels and 18% penetration of renewable energy sources into the gross energy consumption

The Municipality of Naxos and Small Cyclades by signing the Pact of Islands and developing a concrete ISEAP commits to take actions on local level towards sustainability.

The objectives set for 2020 focus on:

- a. Increasing energy supply security
- b. Reducing dependence on energy imports
- c. Reducing the island's energy and CO₂ emissions footprint

The targets set for 2020 focus on:

- a. Reducing by 80% the primary energy demand in comparison to the BAU scenario
- b. Reducing by 84% the CO₂ emissions in comparison to the BAU scenario
- c. Reducing by 42% the CO₂ emissions in comparison to 2005 levels, going beyond the national targets and reaching the average target for the whole EU
- d. Meeting the 32% of the primary energy demand by renewable energy sources
- e. Meeting the 58% of the electricity demand by the use of local renewable energy sources

2.3. Strategic guidelines

The ISEAP strategic guidelines to achieve the objectives and targets set by the Municipality of Naxos and Small Cyclades can be summarized in the following five (5) points:

1. Take advantage of the local renewable energy sources for electricity and heat production
2. Substitute fossil fuels with electricity to be produced locally from RES installations
3. Implement actions towards sustainability by the Municipality to set an example for the rest of the island
4. Increase energy efficiency and responsible energy saving behaviours from the end users to reduce the energy imports
5. Involve the visitors of the island to the realization of the ISEAP

3. ENERGY BALANCE AND EMISSION INVENTORY

3.1. Baseline situation

The year 2005 is chosen as the baseline year. In order to carry on with the energy modelling of the Business As Usual (BAU) and ISEAP scenarios a detailed, accurate and concrete description of the baseline situation is needed.

A bottom-up calculation approach was adopted making use of the in-house modelling tools to calculate the energy profile of the island. Several input data were employed either as a direct information of energy amounts (i.e. final energy demand of the sectors solely related to the municipality, fuel mix for the electricity production, etc.) or indirect statistical and general information supplied to the modelling tools (i.e. energy demand profile of different consumers, typical efficiency of technologies in use, etc.). For this purpose several questionnaires and energy audits were circulated to the different demand and production sectors with the active participation of the local authorities and dedicated working groups. Especially, it should be pointed out that information related to the energy behaviour and demand profile of the residential sector was gathered through an extensive collaboration with the local schools. The students circulated energy audits to their parents' and neighbouring houses collecting valuable information for the ISEAP and becoming active participants to the ISEAP development. Climate change, renewable energy sources, energy efficiency and energy saving were some of the subjects that the students got affiliated through this process.

Energy data related solely to the municipality (municipal buildings, public lighting, municipal equipment and facilities, etc.) were gathered in a consistent way creating an energy data base for the past years, starting from 2005, supplied from the energy bills stored in the municipal records. The foundations for the monitoring of the municipal energy profile were set providing to the municipality a substantial long-term insight to their energy demands and costs.

The information gathered in present time were projected back to 2005 taking into consideration the recorded demand growth rates of the last years. However, in many cases energy data depicting the values of 2005 were directly available.

3.1.1. Final energy demand

Residential sector

In the following table the results of the energy modelling of the base year are presented for the residential sector. The energy carriers most in use in the domestic sector are electricity and diesel with the latter one mainly covering the space heating needs of the houses. LPG is mainly used for heating and cooking purposes, similarly with biomass which translated to simple firewood burnt in most cases in open fireplaces. Finally solar

energy is solely attributed to water heating demand through the solar water heater appliances.

	Electricity	Diesel	LPG	Solar	Biomass	Total
Residential	581	662	84	94	187	1.607
Hot water	111	91	0	94	28	324
Heating and cooling	161	571	48	0	129	909
Lighting	86	0	0	0	0	86
Cooking	60	0	36	0	30	126
Refrigerator and freezers	84	0	0	0	0	84
Laundry machines and dryers	5	0	0	0	0	5
Dish washing	7	0	0	0	0	7
Tv sets	7	0	0	0	0	7
Other electric appliances	60	0	0	0	0	60

Table 3.1. Final energy demand of the residential sector in base year 2005 [MWh]

In the following figures the distribution of final energy demand of the residential sector among the different sub-sectors (see Figure 3.1) and energy carriers (see Figure 3.2) is presented. The heating and cooling sub-sector is by far the most energy demanding area followed by the hot water demand. Also the energy demand distribution to the different energy carriers of the main sub-sectors is depicted in Figure 3.3 and Figure 3.4 and Figure 3.5.




Figure 3.1. Distribution of residential final energy demand among the different sub-sectors




Figure 3.2. Distribution of the residential sector FED to the different energy carriers




Figure 3.3. Distribution of hot water energy demand to the different energy carriers




Figure 3.4. Distribution of heating and cooling energy demand to the different energy carriers




Figure 3.5. Distribution of cooking energy demand to the different energy carriers

Primary sector

In the following table the results of the energy modelling of the base year are presented for the primary sector corresponding mainly to the energy demand of the agricultural and partially fishing activities. The energy carriers most in use are electricity, diesel and biomass covering the energy needs for irrigation, heating and cooling, lighting and operation of general instruments and equipment.

In the figure, following the table, a graphical analysis of the primary sector energy demand distribution to respective energy carriers is shown.

	Electricity	Diesel	Biomass	Total
Primary sector	24	4	5	34
Agriculture, forestry and fishing	24	4	5	34

Table 3.2. Final energy demand of the primary sector in base year 2005 [MWh]




Figure 3.6. Distribution of the primary sector FED to the different energy carriers

Secondary sector

In the following table the results of the energy modelling of the base year are presented for the secondary sector. The energy carriers most in use are electricity, diesel and fueloil.

The manufacturing and construction sub-sectors are the most energy demanding areas of the secondary sector, in Figure 3.9 and Figure 3.10, the energy demand distribution to the respective energy carriers is shown.

	Electricity	Fueloil	Diesel	LPG	Solar	Biomass	Total
Secondary sector	122	50	52	2	1	0	227
Manufacturing	27	15	16	2	1	0	60
Water supply, sewerage, waste management and remediation activities	33	0	0	0	0	0	33
Construction	62	35	36	0	0	0	133

Table 3.3. Final energy demand of the secondary sector in base year 2005 [MWh]




Figure 3.7. Distribution of the secondary sector FED to the different sub-sectors




Figure 3.8. Distribution of the secondary sector FED to the different energy carriers




Figure 3.9. Distribution of manufacturing sector energy demand to the different energy carriers




Figure 3.10. Distribution of construction sector energy demand to the different energy carriers

Tertiary sector

In the following table the results of the energy modelling of the base year are presented for the tertiary sector. The energy carriers most in use in the tertiary sector are by far electricity followed by diesel. LPG and biomass (in the form of charcoal) are mainly used in restaurants for cooking purposes, whereas solar energy is solely attributed to water heating demand mainly in hotels.

In the following figures the distribution of final energy demand of the tertiary sector among the different sub-sectors (see Figure 3.11) and the energy demand distribution to the different energy carriers of the main sub-sectors (see Figure 3.13 – Figure 3.17) are depicted.

	Electricity	Diesel	LPG	Solar	Biomass	Total
Tertiary sector	1,428	273	12	55	7	1,774
Wholesale and retail trade; repair of motor vehicles and motorcycles	301	38	0	4	0	343
Accommodation and food service activities	753	173	12	49	7	993
General public administration and social security	41	10	0	0	0	52
Education	24	17	0	0	0	41
Human health and social work activities	6	4	0	0	0	10
Other services	232	29	0	3	0	264
Public lighting	71	0	0	0	0	71

Table 3.4. Final energy demand of the tertiary sector in base year 2005 [MWh]




Figure 3.11. Distribution of the tertiary sector FED to the different sub-sectors

Tertiary sector




Figure 3.12. Distribution of the tertiary sector FED to the different energy carriers

Wholesale and retail trade




Figure 3.13. Distribution of wholesale and retail trade sector energy demand to the different energy carriers

Accommodation and food service activities




Figure 3.14. Distribution of accommodation and food service activities sector energy demand to the different energy carriers

General public administration and social security




Figure 3.15. Distribution of general public administration and social security sector energy demand to the different energy carriers

Human health and social work activities




Figure 3.16. Distribution of human health and social work activities sector energy demand to the different energy carriers

Education




Figure 3.17. Distribution of education sector energy demand to the different energy carriers

Transports sector

In the following table the results of the energy modelling of the base year are presented for the transports sector.

In the following figures the distribution of final energy demand of the transports sector among the different sub-sectors (see Figure 3.18) and the energy demand distribution to the different energy carriers of (see Figure 3.19) are depicted.

	Diesel	Gasoline	Total
Transports (vehicles)	11,1	16,2	27,3
Passenger transport by road (public transport, taxi, tourism, transfers, etc.)	0,5	0,1	0,6
Freight transport by road and removal services	8,1	1,9	9,9
Other fleet for public and private services	0,1	0,5	0,6
Private transports	2,5	13,7	16,2

Table 3.5. Final energy demand of the transports sector in base year 2005 [MWh]

Transports (vehicles)




Figure 3.18. Distribution of the transports sector FED to the different sub-sectors

Transports (vehicles)




Figure 3.19. Distribution of the tertiary sector FED to the different energy carriers

Overall results

In the following table the overall results of the energy modelling of the base year are presented for the total final energy demand.

In the following figures the distribution of total final energy demand among the different sectors (see Figure 3.20) and the energy demand distribution to the different energy carriers of (see Figure 3.21) are depicted.

Energy carrier		Residential [MWh]	Primary sector [MWh]	Secondary sector [MWh]	Tertiary sector [MWh]	Transports [MWh]	TOTAL [MWh]
Centralized Energy services	Electricity	581	24	122	1.428		2.155
Fossil fuels	Fueloil			50			50
	Diesel	662	4	52	273	11	1.002
	Gasoline					16	16
	LPG	84		2	12		98
Renewable Energy sources	Solar	94		1	55		150
	Biomass	187	5	0	7		198
TOTAL		1.607	34	227	1.774	27	3.669

Table 3.6. Final energy demand per sector and energy carrier




Figure 3.20. Distribution of Final Energy Demand to the different sectors




Figure 3.21. Distribution of Final Energy Demand to the different energy carriers

3.1.2. Energy conversion

Koufonisi as an electrically interconnected island to a local island network is considered to produce electricity through the local power station located on the neighbouring island of Paros. The thermal station capacity and fossil fuel consumption is assumed to be shared among the interconnected islands.

There are no district heating or cooling installations.

In the following figure the electricity demand distribution to the different energy carriers is presented.

Electricity




Figure 3.22. Distribution of Final Energy Demand to the different energy carriers

3.1.3. Primary energy demand

Only a fraction of 4,4% of the primary energy demand is covered by renewable energy sources and the remaining amounts are met through fossil fuel local consumption, with diesel being the dominant fossil fuel mainly because of the electricity and heating energy demand.

PRIMARY ENERGY DEMAND					
Fossil fuels [MWh]					TOTAL
Fueloil	Diesel	Gasoline	LPG	Sub-total	7.979
696	6.821	16	98	7.631	
Renewable energy sources [MWh]					
Hydro	Wind	Solar	Biomass	Sub-total	
0	0	150	198	349	

Table 3.7. Primary energy demand per energy carrier [MWh]

PRIMARY ENERGY DEMAND




Figure 3.23. Primary energy demand distribution to the different energy carriers

3.1.4. Emissions of carbon dioxide

In the following tables and figures the emitted CO₂ from the locally consumed fossil fuels and the electricity imported are presented. For the latter amounts, the national CO₂ factor for electricity production is employed whereas generally for CO₂ emissions generated by fossil fuels consumption the proposed CO₂ factors from IPCC are used.

ENERGY FOR FINAL USE




Figure 3.24. Distribution of overall CO₂ emissions from final use to the different sectors

Residential sector

	Electricity	Diesel	LPG	Total
Residential sector	467	177	20	664
Hot water	89	24	0	114
Heating and cooling	130	152	12	294
Lighting	69	0	0	69
Cooking	48	0	9	57
Refrigerator and freezers	68	0	0	68
Laundry machines and dryers	4	0	0	4
Dish washing	6	0	0	6
Tv sets	5	0	0	5
Other electric appliances	48	0	0	48

Table 3.8. CO2 emissions of the residential sector per sub-sector and energy carrier [tons]

CO2 emissions - Residential sector




Figure 3.25. CO2 emissions from final use in the residential sector

Primary sector

	Electricity	Diesel	Total
Primary sector	20	1	21
Agriculture, forestry and fishing	20	1	21

Table 3.9. CO2 emissions of the primary sector per sub-sector and energy carrier [tons]

Secondary sector

	Electricity	Fueloil	Diesel	LPG	Total
Secondary sector	98	14	14	0,5	127
Manufacturing	21	4	4	0,5	30
Water supply, sewerage, waste management and remediation activities	27	0	0	0	27
Construction	50	10	10	0	69

Table 3.10. CO2 emissions of the secondary sector per sub-sector and energy carrier [tons]

CO2 emissions - Secondary sector




Figure 3.26. CO2 emissions from final use in the secondary sector

Tertiary sector

	Electricity	Diesel	LPG	Total
Tertiary sector	1,149	73	3	1,224
Wholesale and retail trade; repair of motor vehicles and motorcycles	242	10	0	252
Accommodation and food service activities	606	46	3	655
General public administration and social security	33	3	0	36
Education	0	0	0	0
Human health and social work activities	19	5	0	24
Other services	5	1	0	6
Public lighting	186	8	0	194

Table 3.11. CO2 emissions of the tertiary sector per sub-sector and energy carrier [tons]




Figure 3.27. CO2 emissions from final use in the tertiary sector

Transports sector

	Diesel	Gasoline	Total
Transports (vehicles)	2,96	4,04	7,00
Passenger transport by road (public transport, taxi, tourism, transfers, etc.)	0,13	0,03	0,16
Freight transport by road and removal services	2,15	0,46	2,62
Other fleet for public and private services	0,01	0,13	0,14
Private transports	0,66	3,42	4,08

Table 3.12. CO2 emissions of the transports sector per sub-sector and energy carrier [tons]




Figure 3.28. CO2 emissions from final use in the transports sector

3.2. Projections to 2020 – Business as usual scenario

The Business As Usual (BAU) scenario results from a combination of existing data for the period 2005 – 2011 and simulated growth rates for the period 2012 – 2020.

The estimation of growth rates is based on national statistics and on local special characteristics in relation to estimated economic growth of each activity sector.

However, it should be noted that because of the uncertain status of the national economy the estimations are susceptible to change during the ISEAP implementation period; in this case the projections will be re-evaluated and updated accordingly.

In the following figures the development of the primary energy demand and the CO₂ emissions from final use from the base year 2005 till the target year 2020 are presented, showing an expected increase of 62% and 63% respectively.




Figure 3.29. BAU Scenario – Growing trend of Primary Energy Demand




Figure 3.30. BAU Scenario – Growing trend of CO₂ emissions from final use

3.2.1. Final energy demand

The evolution of the final energy demand according to the BAU scenario is presented in the following figures. The projections are shown per energy source (electricity, fossil fuels and renewable energy sources) and activity sector.

An almost linear increase (see Figure 3.31) in the use of the available energy sources is expected, while a growth trend decrease is depicted for the period 2008 – 2011 mainly resulting from the national economic crisis.




Figure 3.31. BAU Scenario – Final Energy Demand per energy source




Figure 3.32. BAU Scenario – Final Energy Demand per activity sector

The final energy demand distribution per energy carrier and activity sector as expected for the year 2020 is presented in the following figures. Electricity (60%) and diesel (27%) will account for almost 87% of the total demand with the residential (43%) and tertiary (50%) sectors being the largest consumers.

In Table 3.13 a summary of the final energy demand distribution per energy carrier and activity sector for the target year 2020 is presented.




Figure 3.33. BAU Scenario – Final Energy Demand per energy carrier in 2020




Figure 3.34. BAU Scenario – Final Energy Demand per sector in 2020

Energy carrier		Residential [MWh]	Primary sector [MWh]	Secondary sector [MWh]	Tertiary sector [MWh]	Transports [MWh]	TOTAL [MWh]
Centralized Energy services	Electricity	822	36	162	2.123		3.142
	Fueloil			66			66
Fossil fuels	Diesel	936	7	69	405	13	1.429
	Gasoline					18	18
	LPG	119		3	17		139
Renewable Energy sources	Solar	133		2	82		217
	Biomass	264	8		10		282
TOTAL		2.274	50	300	2.637	31	5.293

Table 3.13. BAU Scenario final energy demand per sector and energy carrier in 2020

3.2.2. Energy conversion

Koufonisi as an electrically interconnected island to a local island network is considered to produce electricity through the local power station located on the neighbouring island of Paros. No further RES installations are foreseen in the BAU scenario. There are no district heating or cooling installations. The estimated projection of electricity production is shown in the following figure.




Figure 3.35. BAU Scenario – Secondary Energy Conversion

3.2.3. Primary energy demand

In the following figures the BAU scenario projection of the primary energy demand and the respective shares per energy carrier in the year 2020 are presented.




Figure 3.36. BAU Scenario – Primary Energy Demand projections per energy carrier




Figure 3.37. BAU Scenario – Primary Energy Demand per energy carrier in 2020

3.2.4. Emissions of carbon dioxide

In the following figures and tables the BAU scenario CO₂ emissions from final use per energy carrier and activity sector are presented.

BAU Scenario - CO₂ emissions from final use




Figure 3.38. BAU Scenario – CO₂ emissions from final use projections per energy carrier




Figure 3.39. BAU Scenario – CO₂ emissions from final use per energy carrier in 2020

BAU Scenario - CO₂ emissions from final use




Figure 3.40. BAU Scenario – CO₂ emissions from final use projections per sector

3.3. Projections to 2020 – Action plan scenario

The ISEAP (Island Sustainable Energy Action Plan) scenario reflects the energy profile of the island to be achieved through the implementation of the planned actions in the period up to 2020. Several actions focusing on different activity sectors of the island contribute to the attainment of the ambitious goals of the local authority.

Specifically the local authority through the promotion and implementation of the ISEAP expects to reduce the primary energy demand by 80% and the CO₂ by at least 84% in 2020 in comparison to the BAU scenario. In comparison to the baseline year (2005) values, the respective magnitudes will be decreased by 18% and 42% respectively, as presented in the following figures going beyond the EU goals, which for Greece is set to 4% reduction of GHG emissions by 2020 in comparison to 2005.




Figure 3.41. ISEAP Scenario – Growing trend of Primary Energy Demand




Figure 3.42. ISEAP Scenario – Growing trend of CO₂ emissions from final use

3.3.1. Final energy demand

The evolution of the final energy demand according to the ISEAP scenario is presented in the following figures. The projections are shown per energy source (electricity, fossil fuels and renewable energy sources) and activity sector.

The ISEAP scenario aims to shift the linearly increasing of the BAU scenario to linearly decreasing trend of the final energy demand from 2012 and on when the ISEAP implementation has initiated (see Figure 3.43). The highest reduction between 2011 and 2020 is expected in the residential (6,1%), the tertiary (13,1%) and transports (25%) sectors (see Figure 3.44).




Figure 3.43. ISEAP Scenario – Final Energy Demand per energy source




Figure 3.44. ISEAP Scenario – Final Energy Demand per activity sector

The final energy demand distribution per energy carrier and activity sector in the target year 2020 is presented in the following figures where electricity will cover a greater part (66%) of the demand in comparison to the BAU scenario (60%) replacing a significant part of the diesel consumption (15% from 27% in BAU scenario) mainly because of introducing efficient heat pumps to cover the space heating demand will traditionally is produced from stand-alone oil burners. The additional electricity demand will be covered by introducing locally produced electricity from wind and solar power stations. Electricity and diesel remains the dominant energy carriers accounting for 81% of the total demand. The residential and tertiary sectors remain the largest consumers.

In

Energy carrier		Residential [MWh]	Primary sector [MWh]	Secondary sector [MWh]	Tertiary sector [MWh]	Transports [MWh]	TOTAL [MWh]
Centralized Energy services	Electricity	799	28	126	1.613	3	2.569
Fossil fuels	Fueloil			51			51
	Diesel	390	5	54	112	8	568
	Gasoline					11	11
	LPG	92		2	11		106
Renewable Energy sources	Solar	234		1	102		338
	Biomass	211	6		7		224
TOTAL		1.726	39	235	1.845	21	3.866

Table 3.14 is presented a summary of the expected final energy demand distribution per energy carrier and activity sector for the target year 2020 after the implementation of the ISEAP.




Figure 3.45. ISEAP Scenario – Final Energy Demand per energy carrier in 2020




Figure 3.46. ISEAP Scenario – Final Energy Demand per sector in 2020

Energy carrier		Residential [MWh]	Primary sector [MWh]	Secondary sector [MWh]	Tertiary sector [MWh]	Transports [MWh]	TOTAL [MWh]
Centralized Energy services	Electricity	799	28	126	1.613	3	2.569
	Fueloil			51			51
Fossil fuels	Diesel	390	5	54	112	8	568
	Gasoline					11	11
	LPG	92		2	11		106
Renewable Energy sources	Solar	234		1	102		338
	Biomass	211	6		7		224
TOTAL		1.726	39	235	1.845	21	3.866

Table 3.14. ISEAP Scenario final energy demand per sector and energy carrier in 2020

3.3.2. Energy conversion

The introduction of locally produced electricity is foreseen in the ISEAP scenario, with the first PV installations starting in 2012 and significant increase in wind turbine installation the next years. By 2020 the island is expected to cover almost 58% of the electricity demand from locally installed PV and wind power stations.




Figure 3.47. ISEAP Scenario – Growth trend of Secondary Energy Conversion

ISEAP Scenario - Secondary Energy Conversion




Figure 3.48. ISEAP Scenario – Secondary Energy Conversion per energy carrier in 2020

3.3.3. Primary energy demand

In the following figures the ISEAP scenario projection of the primary energy demand and the respective shares per energy carrier in the year 2020 are presented.

The use of fossil fuels is decreased because of the introduction of wind and solar energy for electricity production as locally exploited energy sources.




Figure 3.49. ISEAP Scenario – Growth trend of Primary Energy Demand per energy carrier




Figure 3.50. ISEAP Scenario – Primary Energy Demand per energy carrier in 2020

3.3.4. Emissions of carbon dioxide

In the following figures and tables the ISEAP scenario CO₂ emissions from final use per energy carrier and activity sector are presented. The share of CO₂ emissions resulting from the use of electricity (84%) is slightly decreased in comparison to the BAU scenario (87%) mainly because of the introduction of renewables for the electricity production.

ISEAP Scenario - CO₂ emissions from final use




Figure 3.51. ISEAP Scenario – Growth trend of CO₂ emissions from final use per energy carrier




Figure 3.52. ISEAP Scenario – CO₂ emissions from final use per energy carrier in 2020

ISEAP Scenario - CO₂ emissions from final use




Figure 3.53. ISEAP Scenario – CO₂ emissions from final use projections per sector

The contribution of each activity sector in the reduction of CO₂ emissions is depicted in the following figures (Figure 3.54 to Figure 3.59) with the residential and tertiary sectors from the end use side along with the secondary energy conversion sector (i.e. the electricity production from RES units) are the most significant ones.

CO₂ emissions reduction - Residential sector




Figure 3.54. Comparison of CO₂ emissions from final use between BAU and ISEAP Scenarios in the residential sector




Figure 3.55. Comparison of CO₂ emissions from final use between BAU and ISEAP Scenarios in the primary sector




Figure 3.56. Comparison of CO₂ emissions from final use between BAU and ISEAP Scenarios in the secondary sector




Figure 3.57. Comparison of CO₂ emissions from final use between BAU and ISEAP Scenarios in the tertiary sector




Figure 3.58. Comparison of CO₂ emissions from final use between BAU and ISEAP Scenarios in the transports sector




Figure 3.59. Comparison of CO₂ emissions from final use between BAU and ISEAP Scenarios in the secondary energy conversion sector

The following table summarizes the contribution of each sector in the reduction of CO₂ in comparison to the BAU scenario in the target year 2020.

Action Sectors	CO ₂ emissions reduction
Residential	8,5%
Primary	0,4%
Secondary	2,0%
Tertiary	26,8%
Transports	0,04%
Electricity production	67,3%
TOTAL	84.41%

Table 3.15. Contribution in the CO₂ emissions reduction of each sector in comparison to the BAU scenario in 2020

4. ACTIONS

The ISEAP of Koufonisi is developed in order to ensure the active contribution of the municipality, the citizens and stakeholders in reaching the national and European targets for greenhouse gases reduction until 2020. The long-term vision of the Municipality of Naxos and Small Cyclades is to succeed into restricting the rapidly increasing CO₂ emissions of the island by introducing the maximum amount of renewable energy sources on the energy production and demand side and by promoting the adoption of energy saving and efficiency in all activity sectors.

A wide range of actions is included in the action plan dealing with all the major activity sectors of the island. The selection of actions was carried out after considering several alternative scenarios with the scope to maximize the emissions reduction target with the minimum cost in the given time framework considering also the lately formulated national and local economic conditions.

For the public related sectors the municipality will function as an example for the rest of the island implementing energy saving and efficiency measures. For the rest of the activity sectors the municipality will promote respective horizontal actions while for the electricity production the aim is to maximize the local electricity production from RES in order to minimize the electricity imports to the mainland.

In the following table the expected results through the implementation of the ISEAP are summarized in terms of energy savings, renewable energy production and reduction of CO₂ emissions. The demand side management actions are contributing equally with actions for secondary energy production from RES in reaching the targets set for the island's CO₂ emissions. More details for the specific actions in each sector are presented in the following chapters.

SECTOR	ENERGY SAVINGS TARGET IN 2020 [MWh/year]	RENEWABLE ENERGY PRODUCTION TARGET IN 2020 [MWh/year]	CO ₂ REDUCTION TARGET IN 2020 [ton/year]
RESIDENTIAL	67,2	5,4	19,3
PRIMARY	3,4	-	0,9
SECONDARY	16,8	-	4,5
TERTIARY	225,7	1,8	60,9
TRANSPORTS	0,4	-	0,1
SECONDARY ENERGY PRODUCTION	-	173,0	152,7
TOTAL	313,4	180,2	238,4

Table 4.1. ISEAP expected results in 2020 for every activity sector

4.1. Residential

In the following tables details of the actions planned for the residential sector are presented. The main focus is given on the promotion of energy saving and energy efficiency in everyday energy behaviour of the citizens but also in the use of renewable energy sources for the production of space and water heating. Also in some cases the substitution of fossil fuels consumption by electricity is promoted considering the fact that the local production of electricity from RES will be also promoted through the ISEAP.

SECTORS AND FIELDS OF ACTION	ACTIONS	RESPONSIBLE FOR IMPLEMENTATION	EXPECTED ENERGY SAVINGS [MWh/year]	EXPECTED RENEWABLE ENERGY PRODUCTION [MWh/year]	EXPECTED CO2 REDUCTION [ton/year]
RESIDENTIAL SECTOR					
Hot water	Reduce the annual hot water energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Naxos and Small Cyclades	2,0		0,4
	Increase to 50% the total hot water energy demand supplied from solar thermal by 2020	Municipality of Naxos and Small Cyclades	14,2	11,7	7,0
Heating and cooling	Reduce the annual space heating energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Naxos and Small Cyclades	1,1		0,5
	Increase by 20% the total space heating energy demand supplied from heat pumps by 2020	Municipality of Naxos and Small Cyclades	-44,6		-12,0
	Reduce the annual space cooling energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Naxos and Small Cyclades	4,4		1,1
	Increase by 30% the energy efficiency of air-conditioning systems by 2020 through the promotion of air-conditioning with inverter	Municipality of Naxos and Small Cyclades	41,0		9,8
Lighting	Reduce the annual lighting energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Naxos and Small Cyclades	1,0		0,3
	Increase by 20% the energy efficiency of lighting systems by 2020 through the promotion of energy efficient lamps	Municipality of Naxos and Small Cyclades	13,9		3,7
Cooking	Reduce the annual cooking energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Naxos and Small Cyclades	0,9		0,2

	Increase by 20% the energy efficiency of cooking appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Naxos and Small Cyclades	8,5		2,0
Refrigerator and freezers	Reduce the annual electrical appliances energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Naxos and Small Cyclades	1,0		0,3
	Increase by 20% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Naxos and Small Cyclades	9,1		2,4
Laundry machines and dryers	Reduce the annual electrical appliances energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Naxos and Small Cyclades	0,1		0,02
	Increase by 20% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Naxos and Small Cyclades	0,6		0,1
Dish washing	Reduce the annual electrical appliances energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Naxos and Small Cyclades	0,1		0,02
	Increase by 20% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Naxos and Small Cyclades	0,8		0,2
TV sets	Reduce the annual electrical appliances energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Naxos and Small Cyclades	0,1		0,02
	Increase by 20% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Naxos and Small Cyclades	0,7		0,2
Other electric appliances	Reduce the annual electrical appliances energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Naxos and Small Cyclades	0,7		0,2
	Increase by 20% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Naxos and Small Cyclades	6,5		1,7

Table 4.2. Details for the actions planned in the residential sector

ENERGY SAVINGS TARGET IN 2020 [MWh/year]	RENEWABLE ENERGY PRODUCTION TARGET IN 2020 [MWh/year]	CO2 REDUCTION TARGET IN 2020 [ton/year]
RESIDENTIAL SECTOR		
67,2	5,4	19,3

Table 4.3. Summary table of the actions planned in the residential sector

4.2. Primary sector

In the following tables details of the actions planned for the primary sector are presented. The actions focus on the agricultural sector aiming to the reduction of energy consumption by the professionals and to the energy efficiency upgrade of irrigation systems.

SECTORS AND FIELDS OF ACTION	ACTIONS	RESPONSIBLE FOR IMPLEMENTATION	EXPECTED ENERGY SAVINGS [MWh/year]	EXPECTED RENEWABLE ENERGY PRODUCTION [MWh/year]	EXPECTED CO2 REDUCTION [ton/year]
PRIMARY SECTOR					
Agriculture, forestry and fishing	Reduce the annual agricultural, forestry and fishing energy demand growth rate by 10% by promoting every day energy saving measures from the professionals	Municipality of Naxos and Small Cyclades - Local association	0,3		0,1
	Increase by 20% the energy efficiency of agricultural irrigation systems by 2020 through the promotion of old irrigation systems substitution with new more efficient ones	Municipality of Naxos and Small Cyclades - Local association	3,1		0,8

Table 4.4. Details for the actions planned in the primary sector

ENERGY SAVINGS TARGET IN 2020 [MWh/year]	RENEWABLE ENERGY PRODUCTION TARGET IN 2020 [MWh/year]	CO2 REDUCTION TARGET IN 2020 [ton/year]
PRIMARY SECTOR		
3,4		0,9

Table 4.5. Summary table of the actions planned in the primary sector

4.3. Secondary sector

In the following tables details of the actions planned for the secondary sector are presented. The main focus is given on the collaboration among the municipality and local associations to commit the local companies into setting initial mainstream targets for energy saving and increasing energy efficiency of their equipment and services. Concerning the water supply, sewerage and waste management activities supplied by the municipality actions concerning the energy consumption of the systems are planned and will be carried out by the municipality's own personnel and funding.

SECTORS AND FIELDS OF ACTION	ACTIONS	RESPONSIBLE FOR IMPLEMENTATION	EXPECTED ENERGY SAVINGS [MWh/year]	EXPECTED RENEWABLE ENERGY PRODUCTION [MWh/year]	EXPECTED CO2 REDUCTION [ton/year]
SECONDARY SECTOR					
Manufacturing	Reduce the annual manufacturing energy demand growth rate by 10% by promoting every day energy saving measures from the professionals	Municipality of Naxos and Small Cyclades - Local association	0,4		0,1
	Increase by 20% the energy efficiency of manufacturing technologies by 2020 through the promotion of old systems substitution with new more efficient ones	Municipality of Naxos and Small Cyclades - Local association	3,7		1,0
Water supply, sewerage, waste management and remediation activities	Reduce the annual water supply, waste management and remediation activities energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Naxos and Small Cyclades	0,4		0,1
	Increase by 20% the energy efficiency of the pumping stations operating for the support of the sector by 2020 through the introduction of inverters to existing pumping stations or substitution of old stations with new efficient ones	Municipality of Naxos and Small Cyclades	3,4		0,9
Construction	Reduce the annual construction energy demand growth rate by 10% by promoting every day energy saving measures from the professionals	Municipality of Naxos and Small Cyclades - Local association	0,9		0,2
	Increase by 20% the energy efficiency of construction	Municipality of Naxos and Small	8,4		2,3

	technologies by 2020 through the promotion of old systems substitution with new more efficient ones	Cyclades - Local association			
--	---	------------------------------	--	--	--

Table 4.6. Details for the actions planned in the secondary sector

ENERGY SAVINGS TARGET IN 2020 [MWh/year]	RENEWABLE ENERGY PRODUCTION TARGET IN 2020 [MWh/year]	CO2 REDUCTION TARGET IN 2020 [ton/year]
SECONDARY SECTOR		
16,8		4,5

Table 4.7. Summary table of the actions planned in the secondary sector

4.4. Tertiary sector

In the following tables details of the actions planned for the tertiary sector are presented. The main focus is given on the collaboration among the municipality and local business associations to commit the local companies into setting initial mainstream targets for energy saving and increasing energy efficiency of their equipment and services.

Especially for the accommodation and food services service activities, considering the importance of tourism for the island, a wide range of actions are planned in order to reduce the seasonal increased CO₂ emissions during the touristic periods.

For the sub-sectors managed by the municipality (general administration, education, human health activities and public lighting) the actions concerning the energy consumption of the respective buildings (ex. town hall, schools, health centre, street lighting, etc.) and systems are planned and will be carried out in most cases by the municipality's own personnel and funding.

SECTORS AND FIELDS OF ACTION	ACTIONS	RESPONSIBLE FOR IMPLEMENTATION	EXPECTED ENERGY SAVINGS [MWh/year]	EXPECTED RENEWABLE ENERGY PRODUCTION [MWh/year]	EXPECTED CO2 REDUCTION [ton/year]
TERTIARY SECTOR					
Wholesale and retail trade; repair of motor vehicles and	Reduce the annual wholesale and retail trade energy demand growth rate by 10% by promoting every day energy saving measures from the professionals	Municipality of Naxos and Small Cyclades - Local association	4,0		1,1

motorcycles	Energy efficiency measures - Increase by 30% the energy efficiency of air-conditioning systems by 2020 through the promotion of air-conditioning with inverter - Increase by 20% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Naxos and Small Cyclades - Local association	27,7		7,4
	Increase by 20% the total space heating energy demand supplied from heat pumps by 2020	Municipality of Naxos and Small Cyclades - Local association	-2,8		-0,7
Accommodation and food service activities	Reduce the annual accommodation service activities energy demand growth rate by 10% by promoting every day energy saving measures from the owners, personnel and the visitors	Municipality of Naxos and Small Cyclades - Local association	10,4		2,7
	Energy efficiency measures - Increase by 30% the energy efficiency of air-conditioning systems by 2020 through the promotion of air-conditioning with inverter and door deactivating sensors - Increase by 30% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones and by introducing the key card electricity deactivating system	Municipality of Naxos and Small Cyclades - Local association	75,2		19,7
	Increase by 20% the total space heating energy demand supplied from heat pumps by 2020 - Increase by 20% the total hot water energy demand supplied from solar thermal by 2020	Municipality of Naxos and Small Cyclades - Local association	2,2	3,9	1,6
	Reduce the food service activities energy demand growth rate by 10% by promoting every day energy saving measures from the owners and personnel	Municipality of Naxos and Small Cyclades - Local association	10,4		2,7

	<p>Energy efficiency measures</p> <ul style="list-style-type: none"> - Increase by 30% the energy efficiency of air-conditioning systems by 2020 through the promotion of air-conditioning with inverter - Increase by 30% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones and by introducing motion sensors for the toilet lighting - Increase by 30% the energy efficiency of cooking appliances by 2020 through the promotion of old devices substitution with more efficient ones 	Municipality of Naxos and Small Cyclades - Local association	75,2		19,7
	Increase by 20% the total space heating demand supplied from heat pumps by 2020 - Increase by 20% the total hot water energy demand supplied from solar thermal by 2020	Municipality of Naxos and Small Cyclades - Local association	-2,5	1,8	-0,2
General public administration and social security	Reduce the annual general public administration and social security energy demand growth rate by 10% by promoting every day energy saving measures from the employees	Municipality of Naxos and Small Cyclades	0,5		0,1
	<p>Energy efficiency measures</p> <ul style="list-style-type: none"> - Increase by 30% the energy efficiency of air-conditioning systems by 2020 through the introduction of air-conditioning with inverter - Increase by 30% the energy efficiency of electrical appliances by 2020 through the substitution of old devices with more efficient ones (green procurement) and by introducing motion sensors for the toilet lighting - Increase by 30% the energy efficiency of heating systems by 2020 through the replacement of old window and door frames of public buildings with more efficient ones 	Municipality of Naxos and Small Cyclades	5,3		1,4
	Increase to 30% the total space heating demand supplied from heat pumps by 2020	Municipality of Naxos and Small Cyclades	-1,2		-0,3
Education	Reduce the annual education energy demand growth rate by 10% by promoting every day energy saving measures from the professors and students	Municipality of Naxos and Small Cyclades - School boards	0,3		0,1

	<p>Energy efficiency measures</p> <ul style="list-style-type: none"> - Increase by 30% the energy efficiency of electrical appliances by 2020 through the substitution of old devices with more efficient ones (green procurement) and by introducing motion sensors for the toilet lighting - Increase by 30% the energy efficiency of heating systems by 2020 through the replacement of old window and door frames of public buildings with more efficient ones 	Municipality of Naxos and Small Cyclades - School boards	3,6		1,0
	Increase to 30% the total space heating energy demand supplied from heat pumps by 2020	Municipality of Naxos and Small Cyclades - School boards	-4,1		-1,1
Human health and social work activities	Reduce the annual human health and social work activities energy demand growth rate by 10% by promoting every day energy saving measures from the employees and visitors	Municipality of Naxos and Small Cyclades - Health center	0,1		0,02
	<p>Energy efficiency measures</p> <ul style="list-style-type: none"> - Increase by 30% the energy efficiency of air-conditioning systems by 2020 through the introduction of air-conditioning with inverter - Increase by 30% the energy efficiency of electrical appliances by 2020 through the substitution of old devices with more efficient ones (green procurement) and by introducing motion sensors for the toilet lighting - Increase by 30% the energy efficiency of heating systems by 2020 through the replacement of old window and door frames of public buildings with more efficient ones 	Municipality of Naxos and Small Cyclades - Health center	0,7		0,2
	Increase to 30% the total space heating energy demand supplied from heat pumps by 2020 - Increase to 30% the total hot water energy demand supplied from solar thermal by 2020	Municipality of Naxos and Small Cyclades - Health center	-0,2	0,5	0,1
	Reduce the annual other services energy demand growth rate by 10% by promoting every day energy saving measures from the professionals	Municipality of Naxos and Small Cyclades - Local association	3,0		0,8

	Energy efficiency measures - Increase by 30% the energy efficiency of air-conditioning systems by 2020 through the promotion of air-conditioning with inverter - Increase by 20% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Naxos and Small Cyclades - Local association	21,3		5,7
	Increase by 20% the total space heating energy demand supplied from heat pumps by 2020	Municipality of Naxos and Small Cyclades - Local association	-7,6		-2,0
Public lighting	Reduce the annual public lighting energy demand growth rate by 10% through the promotion of energy saving measures from the local authorities.	Municipality of Naxos and Small Cyclades - PPC	0,9		0,2
	Increase by 20% the energy efficiency of public lighting systems by 2020 through the spatial and technical optimization of the lighting network.	Municipality of Naxos and Small Cyclades - PPC	7,8		2,1

Table 4.8. Details for the actions planned in the tertiary sector

ENERGY SAVINGS TARGET IN 2020 [MWh/year]	RENEWABLE ENERGY PRODUCTION TARGET IN 2020 [MWh/year]	CO2 REDUCTION TARGET IN 2020 [ton/year]
TERTIARY SECTOR		
225,7	1,8	60,9

Table 4.9. Summary table of the actions planned in the tertiary sector

4.5. Transports

In the following tables details of the actions planned for the transports sector are presented. The main focus is given on the promotion of eco-driving techniques by the respective users and the introduction of electric vehicles (EVs) in the island's fleet in collaboration to companies relevant to each sub-sector (buses, taxis, etc.) and the citizens. The increase of electricity consumption through the use of EVs leading to a reduction of fossil fuels is promoted considering the fact that the local production of electricity from RES will be also promoted through the ISEAP.

The municipality will function as an example for the rest of the transports sector being the first to implement the proposed actions to the public fleet.

SECTORS AND FIELDS OF ACTION	ACTIONS	RESPONSIBLE FOR IMPLEMENTATION	EXPECTED ENERGY SAVINGS [MWh/year]	EXPECTED RENEWABLE ENERGY PRODUCTION [MWh/year]	EXPECTED CO2 REDUCTION [ton/year]
TRANSPORTS SECTOR					
Passenger transport by road (public transport, taxi, tourism, transfers, etc.)	Double the annual passenger transport by road energy demand growth rate in favour of public transport by 2020 by assuring the quality offered by the public transports and promoting its use and by constructing bike roads.	Municipality of Naxos and Small Cyclades - Naxos and Small Cyclades KTEL	0,004		0,001
	Increase by 20% the energy efficiency of passenger transports by road by 2020 through the promotion of eco-driving practices.	Municipality of Naxos and Small Cyclades - Transfer operators - Taxis	0,023		0,006
	Increase to 10% the passenger transport by road energy demand supplied from electricity by 2020 through the introduction of hybrid – electrical buses	Municipality of Naxos and Small Cyclades	-0,019		-0,005
Other fleet for public and private services	Increase by 20% the energy efficiency of other fleet for public and private services by 2020 through the promotion of eco-driving practices.	Municipality of Naxos and Small Cyclades	0,029		0,007
	Increase to 10% the other fleet for public and private services energy demand supplied from electricity by 2020 through the introduction – promotion of hybrid – electrical vehicles.	Municipality of Naxos and Small Cyclades	-0,018		-0,005
Freight transport by road and removal services	Increase by 20% the energy efficiency of Freight transport by road and removal services by 2020 through the promotion of eco-driving practices.	Municipality of Naxos and Small Cyclades	0,374		0,099
	Increase to 10% the passenger transport by road energy demand supplied from electricity by 2020 through the promotion of hybrid – electrical trucks.	Municipality of Naxos and Small Cyclades	-0,312		-0,084
Private transports	Reduce to half the annual private transports energy demand growth rate by 2020 through the promotion of sustainable transports (public transports, bicycle).	Municipality of Naxos and Small Cyclades	-0,254		-0,064
	Increase by 20% the energy efficiency of private transports by 2020 through the promotion of eco-driving practices.	Municipality of Naxos and Small Cyclades	0,814		0,205

Increase to 10% the private transports energy demand supplied from electricity by 2020 through the promotion of hybrid – electrical vehicles	Municipality of Naxos and Small Cyclades	-0,509	-0,140
--	--	--------	--------

Table 4.10. Details for the actions planned in the transports sector

ENERGY SAVINGS TARGET IN 2020 [MWh/year]	RENEWABLE ENERGY PRODUCTION TARGET IN 2020 [MWh/year]	CO2 REDUCTION TARGET IN 2020 [ton/year]
TRANSPORTS SECTOR		
0,4		0,1

Table 4.11. Summary table of the actions planned in the transports sector

4.6. Secondary energy production and energy fluxes

In the following tables details of the actions planned for the secondary energy production and energy fluxes sector are presented. The municipality will promote the installation of renewable energy sources, specifically wind and PV parks, either in small or medium scale projects reassuring the respect to the island's spatial planning and the local ecosystem. The municipality will also function as a hub of information and potential collaboration with investors interested to fund such projects.

SECTORS AND FIELDS OF ACTION	ACTIONS	RESPONSIBLE FOR IMPLEMENTATION	EXPECTED ENERGY SAVINGS [MWh/year]	EXPECTED RENEWABLE ENERGY PRODUCTION [MWh/year]	EXPECTED CO2 REDUCTION [ton/year]
SECONDARY ENERGY PRODUCTION AND ENERGY FLUXES					
Wind	Promotion of wind turbines installation	Municipality of Naxos and Small Cyclades		146,5	129,4
Solar	Promotion of PV installation on the ground and on the roofs	Municipality of Naxos and Small Cyclades		60,7	23,4

Table 4.12. Details for the actions planned in the secondary energy production sector

ENERGY SAVINGS TARGET IN 2020 [MWh/year]	RENEWABLE ENERGY PRODUCTION TARGET IN 2020 [MWh/year]	CO2 REDUCTION TARGET IN 2020 [ton/year]
SECONDARY ENERGY PRODUCTION AND ENERGY FLUXES		
	173,0	152,7

Table 4.13. Summary table of the actions planned in the secondary energy production sector

4.7. Land use planning

On this stage of the ISEAP development there are not included actions concerning the land use planning. However, the local authorities in collaboration also with the regional authorities will proceed to concrete land use planning studies in the near future resulting to actions to be included to the ISEAP on a next planning phase.

4.8. Public procurement of products and services

On this stage of the ISEAP development there are not included specific actions concerning the definition of standards for the public procurement of products and services. However, an initial phase of developing relevant actions are considered actions planned under the tertiary sector and especially the equipment for municipal buildings and public lighting focusing on the procurement of energy efficient units. On a next action planning phase it is expected these actions to be materialized also to specific procurement standards.

4.9. Citizen and stakeholders

Several actions planned under the residential, primary, secondary, tertiary and transports sectors are focusing on raising awareness of the citizens and stakeholders in order to contribute in reaching the ambitious targets of the ISEAP. The maximization of their involvement in the implementation of the ISEAP and their support and commitment to it is considered a key use for a success.

5. ORGANIZATIONAL AND FINANCIAL MECHANISMS

The success of the ISEAP besides the good planning and estimation of resources relies heavily on the organizational and financial mechanisms to be established. Specific coordination and organizational structures will be formulated and supported by staff allocated to carry out the different phases of the ISEAP implementation and monitoring. The citizens and stakeholders through their involvement to the ISEAP processes will also constitute a valuable organizational mechanism, critical for the success of this effort. However, in order for all these efforts to be materialized concrete budget allocations should be ensured by taking advantage of all possible financing sources and instruments.

5.1. Coordination and organizational structures

A two level coordination and organizational structure is decided in order to ensure the efficient implementation of the ISEAP. The steering committee on the one hand will take over the coordination during the ISEAP's different phases while on the other hand the work group will mainly focus on the realization of the actions, the monitoring of the ISEAP and the possible updating of the ISEAP contents.

Steering Committee:

- The vice-Mayor of Koufonisi
- DAFNI (Network of Aegean Islands for Sustainability)

Work group:

- The energy representative of the municipality
- The technical department of the municipality
- DAFNI (Network of Aegean Islands for Sustainability)

5.2. Staff capacity

It is absolutely clear that the ISEAP implementation and monitoring will require the allocation of devoted and committed staff that will be able to set the ISEAP as their occupation priority. The staff is consisted of:

- The energy representative of the Municipality of Naxos and Small Cyclades (1 person)
- The technical department of the Municipality of Naxos and Small Cyclades (2 persons)

Furthermore, it is of the municipality's main pursuit to involve the most of the citizens and especially school students in the process of the ISEAP implementation on a volunteering base, especially for the period when energy audits and intense monitoring processes will be taking place.

5.3. Involvement of stakeholders

In order to reassure the active involvement of stakeholders in the implementation of the ISEAP frequent ISEAP info days and conferences will be organized.

Further involvement of the citizens is expected since periodically they will be asked to fill in energy audits in order to monitor the progress and change in their energy behaviours.

Also, specialized meetings and discussions will be held among the steering committee and the stakeholders related to specific sectors in all steps of the ISEAP implementation in order to maintain their interest and commitment to the ISEAP targets.

5.4. Budget

(The budget will be finalized upon the final approval of the ISEAP)

5.5. Financing sources and instruments

Securing the necessary financing sources and instruments for the successful implementation of the ISEAP will be one of the major challenges for the municipality. In the following list some of the expected financing sources are presented.

- Municipal budget allocations
- Regional budget allocations
- Loans
- Revolving funds
- NSRF (National Strategic Reference Framework)
- European Investment Bank
- Private investments
- Citizen cooperatives
- Third party financing
- Public and private sector partnerships

5.6. Monitoring and follow-up

The Energy - CO₂ and ISEAP monitoring tools developed under the ISLE-PACT project will be used in combination to energy audits in order to monitor the success of the ISEAP and the development of Koufonisi's energy profile. The monitoring task will be taken over by the work group. An ISEAP monitoring template and a respective report will be submitted at least every two years to the European Commission in order to highlight the progress in the ISEAP implementation.

Bibliography

Elaboration:



Local and regional authorities:

Municipality of Naxos and Small Cyclades



ΠΕΡΙΦΕΡΕΙΑ ΝΟΤΙΟΥ ΑΙΓΑΙΟΥ
ΕΝΔΙΑΜΕΣΗ ΔΙΑΧΕΙΡΙΣΤΙΚΗ ΑΡΧΗ

Region of South Aegean

Financial support:



Directorate-General
for Energy

Disclaimer:

The sole responsibility for the content of this document lies with the authors. It does not necessarily reflect the opinion of the European Communities. The European Commission is not responsible for any use that may be made of the information contained therein.