

ISLAND SUSTAINABLE ENERGY ACTION PLAN

ISLAND OF ANDROS

Date

30/4/2012

Executive summary

The Municipality of Andros by signing the Pact of Islands takes action towards sustainable development and the fight against climate change at local level. Together with other Greek and European islands commits to meet the targets set by the European Union for the reduction of greenhouse gas emissions.

The long-term vision of the local authorities is to succeed into restricting the rapidly increasing CO₂ emissions of the island by introducing the maximum amount of renewable energy sources in the energy production and demand side and by promoting the adoption of energy saving and efficiency in all activity sectors.

Objectives and Targets


With the present sustainable energy action plan, Andros sets clear and ambitious objectives and targets concerning the island's local energy policy.

The objectives set for the target year 2020 focus on increasing the island's energy supply security, reducing its dependence on energy imports and finally reducing the island's energy and CO₂ emissions footprint.

Specifically, the targets set for 2020 focus on reducing by 40% the primary energy demand and by 62% the CO₂ emissions in comparison to the projections of the business as usual scenario, meeting the 30% of the primary energy demand and the 29% of the electricity demand by the use of local renewable energy sources.

Energy balance and CO₂ emissions in the base year

The year 2005 was selected as base year for the energy planning process of Andros' ISEAP, following the EU targets set for fighting climate change. In the following figures Andros' energy profile for the year 2005 is shown. The strong dependence on fossil fuels is apparent.



Main fields of action

A wide range of actions is included in the action plan dealing with all the major activity sectors of the island. The selection of actions was carried out after considering several alternative scenarios with the scope to maximize the emissions reduction target with the minimum cost in the given time framework considering also the lately formulated national and local economic conditions.

Coordination structure

A two level coordination and organizational structure is decided in order to ensure the efficient implementation of the ISEAP. The steering committee on the one hand will take over the coordination during the ISEAP's different phases while on the other hand the work group will mainly focus on the realization of the actions, the monitoring of the ISEAP and the possible updating of the ISEAP contents.

Budget and Financing

The budget will be finalized upon the final approval of the ISEAP.

Securing the necessary financing sources and instruments for the successful implementation of the ISEAP will be one of the major challenges for the Municipality. The allocation of Municipal and Regional budget combined with loans, revolving funds, citizens cooperatives, third party financing, private investments and public and private sector partnerships are some of the financing schemes to be used for the realization of the ISEAP.

Contents

1. CONTEXT	1
1.1. Geography and territory	1
1.2. Demography	2
1.3. Economy.....	3
1.4. Political and administrative structures.....	3
2. OVERALL STRATEGY.....	1
2.1. Current framework and vision for the future	1
2.2. Objectives and targets	1
2.3. Strategic guidelines.....	2
3. ENERGY BALANCE AND EMISSION INVENTORY	3
3.1. Baseline situation.....	3
3.1.1. Final energy demand	3
3.1.2. Energy conversion	12
3.1.3. Primary energy demand	12
3.1.4. Emissions of carbon dioxide.....	13
3.2. Projections to 2020 – Business as usual scenario	19
3.2.1. Final energy demand	20
3.2.2. Energy conversion	22
3.2.3. Primary energy demand	22
3.2.4. Emissions of carbon dioxide.....	23
3.3. Projections to 2020 – Action plan scenario	25
3.3.1. Final energy demand	26
3.3.2. Energy conversion	28
3.3.3. Primary energy demand	29
3.3.4. Emissions of carbon dioxide.....	30
4. ACTIONS	35
4.1. Residential	36
4.2. Primary sector.....	38
4.3. Secondary sector	38
4.4. Tertiary sector	40
4.5. Transports.....	44
4.6. Secondary energy production and energy fluxes	45
4.7. Land use planning.....	46
4.8. Public procurement of products and services	46
4.9. Citizen and stakeholders.....	46
5. ORGANIZATIONAL AND FINANCIAL MECHANISMS.....	47
5.1. Coordination and organizational structures.....	47
5.2. Staff capacity	47
5.3. Involvement of stakeholders	48
5.4. Budget	48
5.5. Financing sources and instruments	48
5.6. Monitoring and follow-up.....	48

Tables

Table 1.1. Land use	1
Table 1.2. Population evolution (source: EL.STAT)	2
Table 1.3. Population per prefecture (source: EL.STAT)	3
Table 1.4. Occupational Data per activity sector.....	3
Table 3.1. Final energy demand of the residential sector in base year 2005 [MWh]	4
Table 3.2. Final energy demand of the primary sector in base year 2005 [MWh]	6
Table 3.3. Final energy demand of the secondary sector in base year 2005 [MWh]	6
Table 3.4. Final energy demand of the tertiary sector in base year 2005 [MWh]	8
Table 3.5. Final energy demand of the transports sector in base year 2005 [MWh]	10
Table 3.6. Final energy demand per sector and energy carrier	12
Table 3.7. Primary energy demand per energy carrier [MWh]	13

Table 3.8. CO ₂ emissions of the residential sector per sub-sector and energy carrier [tons]	14
Table 3.9. CO ₂ emissions of the primary sector per sub-sector and energy carrier [tons]	15
Table 3.10. CO ₂ emissions of the secondary sector per sub-sector and energy carrier [tons]	15
Table 3.11. CO ₂ emissions of the tertiary sector per sub-sector and energy carrier [tons]	16
Table 3.12. CO ₂ emissions of the transports sector per sub-sector and energy carrier [tons]	17
Table 3.13. BAU Scenario final energy demand per sector and energy carrier in 2020	21
Table 3.14. ISEAP Scenario final energy demand per sector and energy carrier in 2020	27
Table 3.15. Contribution in the CO ₂ emissions reduction of each sector in comparison to the BAU scenario in 2020	34
Table 4.1. ISEAP expected results in 2020 for every activity sector	35
Table 4.2. Details for the actions planned in the residential sector	37
Table 4.3. Summary table of the actions planned in the residential sector	38
Table 4.4. Details for the actions planned in the primary sector	38
Table 4.5. Summary table of the actions planned in the primary sector	38
Table 4.6. Details for the actions planned in the secondary sector	39
Table 4.7. Summary table of the actions planned in the secondary sector	40
Table 4.8. Details for the actions planned in the tertiary sector	43
Table 4.9. Summary table of the actions planned in the tertiary sector	44
Table 4.10. Details for the actions planned in the transports sector	45
Table 4.11. Summary table of the actions planned in the transports sector	45
Table 4.12. Details for the actions planned in the secondary energy production sector	46
Table 4.13. Summary table of the actions planned in the secondary energy production sector	46

Figures

Figure 1.1. The Island of Andros	2
Figure 3.1. Distribution of residential final energy demand among the different sub-sectors	4
Figure 3.2. Distribution of the residential sector FED to the different energy carriers	5
Figure 3.3. Distribution of hot water energy demand to the different energy carriers	5
Figure 3.4. Distribution of heating and cooling energy demand to the different energy carriers	5
Figure 3.5. Distribution of cooking energy demand to the different energy carriers	5
Figure 3.6. Distribution of the primary sector FED to the different energy carriers	6
Figure 3.7. Distribution of the secondary sector FED to the different sub-sectors	7
Figure 3.8. Distribution of the secondary sector FED to the different energy carriers	7
Figure 3.9. Distribution of manufacturing sector energy demand to the different energy carriers	7
Figure 3.10. Distribution of construction sector energy demand to the different energy carriers	7
Figure 3.11. Distribution of the tertiary sector FED to the different sub-sectors	8
Figure 3.12. Distribution of the tertiary sector FED to the different energy carriers	9
Figure 3.13. Distribution of wholesale and retail trade sector energy demand to the different energy carriers	9
Figure 3.14. Distribution of accommodation and food service activities sector energy demand to the different energy carriers	9
Figure 3.15. Distribution of general public administration and social security sector energy demand to the different energy carriers	9
Figure 3.16. Distribution of human health and social work activities sector energy demand to the different energy carriers	10
Figure 3.17. Distribution of education sector energy demand to the different energy carriers	10
Figure 3.18. Distribution of the transports sector FED to the different sub-sectors	11
Figure 3.19. Distribution of the tertiary sector FED to the different energy carriers	11
Figure 3.20. Distribution of Final Energy Demand to the different sectors	12
Figure 3.21. Distribution of Final Energy Demand to the different energy carriers	12
Figure 3.22. Primary energy demand distribution to the different energy carriers	13
Figure 3.23. Distribution of overall CO ₂ emissions from final use to the different sectors	14
Figure 3.24. CO ₂ emissions from final use in the residential sector	15
Figure 3.25. CO ₂ emissions from final use in the secondary sector	16
Figure 3.26. CO ₂ emissions from final use in the tertiary sector	17
Figure 3.27. CO ₂ emissions from final use in the transports sector	18
Figure 3.28. BAU Scenario – Growing trend of Primary Energy Demand	19
Figure 3.29. BAU Scenario – Growing trend of CO ₂ emissions from final use	19
Figure 3.30. BAU Scenario – Final Energy Demand per energy source	20
Figure 3.31. BAU Scenario – Final Energy Demand per activity sector	20

Figure 3.32. BAU Scenario – Final Energy Demand per energy carrier in 2020.....	21
Figure 3.33. BAU Scenario – Final Energy Demand per sector in 2020	21
Figure 3.34. BAU Scenario – Secondary Energy Conversion – Imported electricity projection	22
Figure 3.35. BAU Scenario – Primary Energy Demand projections per energy carrier.....	22
Figure 3.36. BAU Scenario – Primary Energy Demand per energy carrier in 2020	23
Figure 3.37. BAU Scenario – CO ₂ emissions from final use projections per energy carrier.....	23
Figure 3.38. BAU Scenario – CO ₂ emissions from final use per energy carrier in 2020	24
Figure 3.39. BAU Scenario – CO ₂ emissions from final use projections per sector	24
Figure 3.40. ISEAP Scenario – Growing trend of Primary Energy Demand.....	25
Figure 3.41. ISEAP Scenario – Growing trend of CO ₂ emissions from final use.....	25
Figure 3.42. ISEAP Scenario – Final Energy Demand per energy source.....	26
Figure 3.43. ISEAP Scenario – Final Energy Demand per activity sector	26
Figure 3.44. ISEAP Scenario – Final Energy Demand per energy carrier in 2020.....	27
Figure 3.45. ISEAP Scenario – Final Energy Demand per sector in 2020	27
Figure 3.46. ISEAP Scenario – Growth trend of Secondary Energy Conversion	28
Figure 3.47. ISEAP Scenario – Secondary Energy Conversion per energy carrier in 2020	28
Figure 3.48. ISEAP Scenario – Growth trend of Primary Energy Demand per energy carrier	29
Figure 3.49. ISEAP Scenario – Primary Energy Demand per energy carrier in 2020	29
Figure 3.50. ISEAP Scenario – Growth trend of CO ₂ emissions from final use per energy carrier	30
Figure 3.51. ISEAP Scenario – CO ₂ emissions from final use per energy carrier in 2020	30
Figure 3.52. ISEAP Scenario – CO ₂ emissions from final use projections per sector	31
Figure 3.53. Comparison of CO ₂ emissions from final use between BAU and ISEAP Scenarios in the residential sector	31
Figure 3.54. Comparison of CO ₂ emissions from final use between BAU and ISEAP Scenarios in the primary sector.....	32
Figure 3.55. Comparison of CO ₂ emissions from final use between BAU and ISEAP Scenarios in the secondary sector	32
Figure 3.56. Comparison of CO ₂ emissions from final use between BAU and ISEAP Scenarios in the tertiary sector.....	33
Figure 3.57. Comparison of CO ₂ emissions from final use between BAU and ISEAP Scenarios in the transports sector.....	33
Figure 3.58. Comparison of CO ₂ emissions from final use between BAU and ISEAP Scenarios in the secondary energy conversion sector	34

1. CONTEXT

1.1. Geography and territory

Andros is the northern island of Cyclades and is located 7 n.m. southern of Euvoia and 37 n.m east of Attica shores. Andros covers an area of 376km², with a coastline of 177km;

Andros is one of the most mountainous islands of the Cyclades, with green gorges and valleys, while it is characterized by surface and ground waters. Four successive mountain ranges, almost parallel to each other in the direction from southwest to northeast, carve the contours of the island.

Andros is predominantly an agricultural and marine island that turned in to tourism the last 25 years. Consequently, there is no significant changes on the natural landscape of the island. The northwest part of the island is the most touristically developed, especially the area of Batsi.

Another feature of Andros is the rich wind and water resources, and the remarkable fauna and flora. It presents opportunities for sustainable management of natural resources and production systems from renewable energy sources. The island has great cultural and spiritual tradition, a remarkable number of archaeological sites and museums which attract tourists.

In terms of infrastructure, road network is quite extensive because of the large area of the island, though not always in very good condition. There are problems with the local land transportation and the connection with the port of Rafina, because of limited services.

Due to the small distance between the island and the mainland, Andros is interconnected with the mainland electrical network.

The following table presents the land use as percentage of the total area of the island.

Area under cultivation and fallow land	Pastures	Forests	Areas occupied by the locality (buildings, roads, etc)	Other areas
22.5%	42.7%	17.2%	0.7%	16.9%

Table 1.1. Land use




Figure 1.1. The Island of Andros

1.2. Demography

Regarding the variation in the population of Andros, by the '90s had a tendency reduction, which for the period 1961-1991 was 32.1%. According to current demographics, there is an increased population of the island by 14%, which is consistent with the overall population growth of the Cyclades prefecture (18.3%).

Year	Population	Growth rate
1951	14548	-
1961	13056	-10.3%
1971	10196	-21.9%
1981	9108	-10.7%
1991	8781	-3.6%
2001	10009	14.0%

Table 1.2. Population evolution (source: EL.STAT)

The population division among the former municipalities of Andros is shown in the following table:

Municipality	2001 Census	
Androu	3433	34.3%
Korthiou	4324	43.2%
Ydrousas	2252	22.5%

Table 1.3. Population per prefecture (source: EL.STAT)

1.3. Economy

The traditional economy sectors in Andros were formerly shipping and trade, but the income of the vast majority of residents came from the primary sector (agriculture, livestock, fisheries). The last two decades there is a turn towards tourism; effectively the tourism sector has been increased while there is a decrease in livestock and fishery.

The secondary sector follows the path of the prefecture of Cyclades. Therefore, the sector with the greatest growth is that of construction, food and beverage industry.

Due to the island's proximity to Athens, there is an increased demand for summer houses resulting to relatively significant building activity. The construction industry includes mainly electrical, plumbing activities and earthworks.


Activity Sectors	Percentage (%)
Primary	26,5
Secondary	16,5
Tertiary	57,0

Table 1.4. Occupational Data per activity sector

1.4. Political and administrative structures

Andros belongs in the region of south Aegean and with the late administrative reformation the former municipalities consolidated into the municipality of Andros.

The political and administrative organisational structure of Andros island in relation to the energy field and sustainable development is presented in the following diagram.



PPC: Public Power Corporation

RAE: Regularity Authority for Energy

HTSO: Hellenic Transmission System Operator S.A.

MEECC: Ministry of Environment Energy & Climate Change

CRES: Centre for Renewable Energy Sources

DAFNI: Network of Aegean Islands for Sustainability

2. OVERALL STRATEGY

2.1. Current framework and vision for the future

Andros, although an island, is considered interrelated to the mainland and especially to the city of Athens. It is rather common for many people from the city to own holiday houses on the island, being only two hour away from the Rafina port by conventional boat. As a result the permanent population of the island increases in weekends and holidays leading to high energy and carbon footprint.

Furthermore, the permanent population of the island is expected to rise by 10% in 2020, mainly because of a lately observed trend of the people owning summer houses to also choose them as permanent residencies, especially after retirement, resulting to increasing energy demand. According to the business as usual scenario the CO₂ emissions for the island of Andros are expected to increase by 40% until 2020 in comparison to 2005 levels.

The island, being in a close distance to the mainland, is electrically interconnected to the grid importing all the electricity through a submarine cable. Also, large amounts of fossil fuels are imported to the island through boat transfers to cover mainly the demand of the transport and heating sectors. In this way the island relies absolutely to energy imports.

In this sense, the Municipality of Andros aims to reduce the dependence of the island from energy imports by promoting the local energy production through small and medium scale RES installations with the expectation to cover 30% of the island's primary energy demand in 2020. In addition to that in order to increase the energy security of the island and reduce the per capita cost of energy and energy footprint demand side management actions will be promote and implemented by the municipality setting an example of effective energy saving and increased energy efficiency.

2.2. Objectives and targets

In December 2008 the EU adopted an integrated energy and climate change policy, including ambitious targets¹ for 2020. It hopes to set Europe on the right track - towards a sustainable future with a low-carbon, energy-efficient economy by:

- cutting greenhouse gases by 20% (30% if international agreement is reached)
- reducing energy consumption by 20% through increased energy efficiency
- meeting 20% of our energy needs from renewable sources.

¹ The targets refer to accumulated result among the whole of EU. However, the targets differ among the Member States.

Greece as an EU Member State must comply with the EU policy. The targets on national level are translated into 4% reduction of greenhouse gases according to 2005 levels and 18% penetration of renewable energy sources into the gross energy consumption

The Municipality of Andros by signing the Pact of Islands and developing a concrete ISEAP commits to take actions on local level towards sustainability.

The objectives set for 2020 focus on:

- a. Increasing energy supply security
- b. Reducing dependence on energy imports
- c. Reducing the island's energy and CO₂ emissions footprint

The targets set for 2020 focus on:

- a. Reducing by 40% the primary energy demand in comparison to the BAU scenario
- b. Reducing by 62% the CO₂ emissions in comparison to the BAU scenario
- c. Reducing by 20% the CO₂ emissions in comparison to 2005 levels, going beyond the national targets and reaching the average target for the whole EU
- d. Meeting the 30% of the primary energy demand by renewable energy sources
- e. Meeting the 29% of the electricity demand by the use of local renewable energy sources

2.3. Strategic guidelines

The ISEAP strategic guidelines to achieve the objectives and targets set by the Municipality of Andros can be summarized in the following five (5) points:

1. Take advantage of the local renewable energy sources for electricity and heat production
2. Substitute imported fossil fuels with electricity to be produced locally from RES installations
3. Implement actions towards sustainability by the Municipality to set an example for the rest of the island
4. Increase energy efficiency and responsible energy saving behaviours from the end users to reduce the energy imports
5. Involve the visitors of the island to the realization of the ISEAP

3. ENERGY BALANCE AND EMISSION INVENTORY

3.1. Baseline situation

The year 2005 is chosen as the baseline year. In order to carry on with the energy modelling of the Business As Usual (BAU) and ISEAP scenarios a detailed, accurate and concrete description of the baseline situation is needed.

A bottom-up calculation approach was adopted making use of the in-house modelling tools to calculate the energy profile of the island. Several input data were employed either as a direct information of energy amounts (i.e. final energy demand of the sectors solely related to the municipality, fuel mix for the electricity production, etc.) or indirect statistical and general information supplied to the modelling tools (i.e. energy demand profile of different consumers, typical efficiency of technologies in use, etc.). For this purpose several questionnaires and energy audits were circulated to the different demand and production sectors with the active participation of the local authorities and dedicated working groups. Especially, it should be pointed out that information related to the energy behaviour and demand profile of the residential sector was gathered through an extensive collaboration with the local schools. The students circulated energy audits to their parents' and neighbouring houses collecting valuable information for the ISEAP and becoming active participants to the ISEAP development. Climate change, renewable energy sources, energy efficiency and energy saving were some of the subjects that the students got affiliated through this process.

Energy data related solely to the municipality (municipal buildings, public lighting, municipal equipment and facilities, etc.) were gathered in a consistent way creating an energy data base for the past years, starting from 2005, supplied from the energy bills stored in the municipal records. The foundations for the monitoring of the municipal energy profile were set providing to the municipality a substantial long-term insight to their energy demands and costs.

The information gathered in present time were projected back to 2005 taking into consideration the recorded demand growth rates of the last years. However, in many cases energy data depicting the values of 2005 were directly available.

3.1.1. Final energy demand

Residential sector

In the following table the results of the energy modelling of the base year are presented for the residential sector. The energy carriers most in use in the domestic sector are electricity and diesel with the latter one mainly covering the space heating needs of the houses. LPG is mainly used for heating and cooking purposes, similarly with biomass which translated to simple firewood burnt in most cases in open fireplaces. Finally solar

energy is solely attributed to water heating demand through the solar water heater appliances.

	Electricity	Diesel	LPG	Solar	Biomass	Total
Residential	14.990	18.271	2.367	2.288	5.147	43.063
Hot water	2.712	2.212	0	2.288	687	7.900
Heating and cooling	3.608	16.059	1.357	0	3.619	24.643
Lighting	2.409	0	0	0	0	2.409
Cooking	1.683	0	1.010	0	842	3.535
Refrigerator and freezers	2.362	0	0	0	0	2.362
Laundry machines and dryers	144	0	0	0	0	144
Dish washing	201	0	0	0	0	201
Tv sets	187	0	0	0	0	187
Other electric appliances	1.683	0	0	0	0	1.683

Table 3.1. Final energy demand of the residential sector in base year 2005 [MWh]

In the following figures the distribution of final energy demand of the residential sector among the different sub-sectors (see Figure 3.1) and energy carriers (see Figure 3.2) is presented. The heating and cooling sub-sector is by far the most energy demanding area followed by the hot water demand. Also the energy demand distribution to the different energy carriers of the main sub-sectors is depicted in Figure 3.3, Figure 3.4 and Figure 3.5.




Figure 3.1. Distribution of residential final energy demand among the different sub-sectors

Residential sector




Figure 3.2. Distribution of the residential sector FED to the different energy carriers

Hot water




Figure 3.3. Distribution of hot water energy demand to the different energy carriers

Heating and cooling




Figure 3.4. Distribution of heating and cooling energy demand to the different energy carriers

Cooking




Figure 3.5. Distribution of cooking energy demand to the different energy carriers

Primary sector

In the following table the results of the energy modelling of the base year are presented for the primary sector corresponding mainly to the energy demand of the agricultural and partially fishing activities. The energy carriers most in use are electricity, diesel and biomass covering the energy needs for irrigation, heating and cooling, lighting and operation of general instruments and equipment.

In the figure, following the table, a graphical analysis of the primary sector energy demand distribution to respective energy carriers is shown.

	Electricity	Diesel	Biomass	Total
Primary sector	696	126	144	966
Agriculture, forestry and fishing	696	126	144	966

Table 3.2. Final energy demand of the primary sector in base year 2005 [MWh]




Figure 3.6. Distribution of the primary sector FED to the different energy carriers

Secondary sector

In the following table the results of the energy modelling of the base year are presented for the secondary sector. The energy carriers most in use are electricity, diesel and fueloil.

The manufacturing and construction sub-sectors are the most energy demanding areas of the secondary sector, in Figure 3.9 and Figure 3.10, the energy demand distribution to the respective energy carriers is shown.

	Electricity	Fueloil	Diesel	LPG	Solar	Biomass	Total
Secondary sector	3.458	1.469	1.536	103	58	202	6.827
Manufacturing	1.315	735	768	103	58	202	3.181
Water supply, sewerage, waste management and remediation activities	828	0	0	0	0	0	828
Construction	1.315	735	768	0	0	0	2.817

Table 3.3. Final energy demand of the secondary sector in base year 2005 [MWh]




Figure 3.7. Distribution of the secondary sector FED to the different sub-sectors




Figure 3.8. Distribution of the secondary sector FED to the different energy carriers




Figure 3.9. Distribution of manufacturing sector energy demand to the different energy carriers




Figure 3.10. Distribution of construction sector energy demand to the different energy carriers

Tertiary sector

In the following table the results of the energy modelling of the base year are presented for the tertiary sector. The energy carriers most in use in the tertiary sector are by far electricity followed by diesel. LPG and biomass (in the form of charcoal) are mainly used in restaurants for cooking purposes, whereas solar energy is solely attributed to water heating demand mainly in hotels.

In the following figures the distribution of final energy demand of the tertiary sector among the different sub-sectors (see Figure 3.11) and the energy demand distribution to the different energy carriers of the main sub-sectors (see Figure 3.13 – Figure 3.17) are depicted.

	Electricity	Diesel	LPG	Solar	Biomass	Total
Tertiary sector	27.014	4.238	437	798	231	32.719
Wholesale and retail trade; repair of motor vehicles and motorcycles	5.822	795	0	77	0	6.694
Accommodation and food service activities	14.093	2.078	437	657	231	17.497
General public administration and social security	945	256	0	0	0	1.202
Education	361	425	0	0	0	786
Human health and social work activities	28	21	0	0	0	49
Other services	4.844	662	0	64	0	5.570
Public lighting	920	0	0	0	0	920

Table 3.4. Final energy demand of the tertiary sector in base year 2005 [MWh]




Figure 3.11. Distribution of the tertiary sector FED to the different sub-sectors

Tertiary sector




Figure 3.12. Distribution of the tertiary sector FED to the different energy carriers

Wholesale and retail trade




Figure 3.13. Distribution of wholesale and retail trade sector energy demand to the different energy carriers

Accommodation and food service activities




Figure 3.14. Distribution of accommodation and food service activities sector energy demand to the different energy carriers

General public administration and social security




Figure 3.15. Distribution of general public administration and social security sector energy demand to the different energy carriers

Human health and social work activities




Figure 3.16. Distribution of human health and social work activities sector energy demand to the different energy carriers

Education




Figure 3.17. Distribution of education sector energy demand to the different energy carriers

Transports sector

In the following table the results of the energy modelling of the base year are presented for the transports sector.

In the following figures the distribution of final energy demand of the transports sector among the different sub-sectors (see Figure 3.18) and the energy demand distribution to the different energy carriers of (see Figure 3.19) are depicted.

	Diesel	Gasoline	Total
Transports (vehicles)	8.620	11.776	20.396
Passenger transport by road (public transport, taxi, tourism, transfers, etc.)	316	73	389
Freight transport by road and removal services	6.356	1.466	7.822
Other fleet for public and private services	26	168	194
Private transports	1.922	10.069	11.991

Table 3.5. Final energy demand of the transports sector in base year 2005 [MWh]

Transports (vehicles)




Figure 3.18. Distribution of the transports sector FED to the different sub-sectors

Transports (vehicles)




Figure 3.19. Distribution of the tertiary sector FED to the different energy carriers

Overall results

In the following table the overall results of the energy modelling of the base year are presented for the total final energy demand.

In the following figures the distribution of total final energy demand among the different sectors (see Figure 3.20) and the energy demand distribution to the different energy carriers of (see Figure 3.21) are depicted.

Energy carrier		Residential [MWh]	Primary sector [MWh]	Secondary sector [MWh]	Tertiary sector [MWh]	Transports [MWh]	TOTAL [MWh]
Centralized Energy services	Electricity	14.990	696	3.458	27.014		46.158
Fossil fuels	Fueloil			1.469			1.469
	Diesel	18.271	126	1.536	4.238	8.620	32.791
	Gasoline					11.776	11.776
	LPG	2.367		103	437		2.908
Renewable Energy sources	Solar	2.288		58	798		3.144
	Biomass	5.147	144	202	231		5.725
TOTAL		43.063	966	6.827	32.719	20.396	103.971

Table 3.6. Final energy demand per sector and energy carrier




Figure 3.20. Distribution of Final Energy Demand to the different sectors




Figure 3.21. Distribution of Final Energy Demand to the different energy carriers

3.1.2. Energy conversion

Andros as an electrically interconnected island to the mainland grid receives all the electricity supply through imports.

There are no heat or cold distribution networks on the island.

3.1.3. Primary energy demand

Because of Andros's electrical interconnection to the mainland grid half of the primary energy demand is reflected to imported electricity. A fraction of 9% of the primary energy

demand is covered by renewable energy sources and the remaining amounts are met through fossil fuel local consumption, with diesel being the dominant fossil fuel mainly because of the heating energy demand.

PRIMARY ENERGY DEMAND					
Fossil fuels [MWh]					TOTAL
Fueloil	Diesel	Gasoline	LPG	Sub-total	105.895
1.469	32.791	11.776	2.908	48.944	
Renewable energy sources [MWh]					
Hydro	Wind	Solar	Biomass	Sub-total	
0	0	3.144	5.725	8.869	
Electricity [MWh]					
Imported electricity (cable)				Sub-total	
48.081				48.081	

Table 3.7. Primary energy demand per energy carrier [MWh]




Figure 3.22. Primary energy demand distribution to the different energy carriers

3.1.4. Emissions of carbon dioxide

In the following tables and figures the emitted CO₂ from the locally consumed fossil fuels and the electricity imported are presented. For the latter amounts, the national CO₂ factor for electricity production is employed whereas generally for CO₂ emissions generated by fossil fuels consumption the proposed CO₂ factors from IPCC are used.

CO2 emissions from final use




Figure 3.23. Distribution of overall CO2 emissions from final use to the different sectors

Residential sector

	Electricity	Diesel	LPG	Total
Residential sector	17.941	4.878	568	23.387
Hot water	3.246	591	0	3.837
Heating and cooling	4.318	4.288	326	8.932
Lighting	2.883	0	0	2.883
Cooking	2.015	0	242	2.257
Refrigerator and freezers	2.828	0	0	2.828
Laundry machines and dryers	172	0	0	172
Dish washing	241	0	0	241
Tv sets	224	0	0	224
Other electric appliances	2.014	0	0	2.014

Table 3.8. CO2 emissions of the residential sector per sub-sector and energy carrier [tons]

CO2 emissions - Residential sector




Figure 3.24. CO2 emissions from final use in the residential sector

Primary sector

	Electricity	Diesel	Total
Primary sector	833	34	867
Agriculture, forestry and fishing	833	34	867

Table 3.9. CO2 emissions of the primary sector per sub-sector and energy carrier [tons]

Secondary sector

	Electricity	Fueloil	Diesel	LPG	Total
Secondary sector	4.139	410	410	25	4.984
Manufacturing	1.574	205	205	25	2.009
Water supply, sewerage, waste management and remediation activities	991	0	0	0	991
Construction	1.574	205	205	0	1.984

Table 3.10. CO2 emissions of the secondary sector per sub-sector and energy carrier [tons]

CO2 emissions - Secondary sector




Figure 3.25. CO2 emissions from final use in the secondary sector

Tertiary sector

	Electricity	Diesel	LPG	Total
Tertiary sector	32.333	1.132	105	33.569
Wholesale and retail trade; repair of motor vehicles and motorcycles	6.968	212	0	7.180
Accommodation and food service activities	16.868	555	105	17.528
General public administration and social security	1.132	68	0	1.200
Education	0	0	0	0
Human health and social work activities	432	114	0	546
Other services	34	6	0	40
Public lighting	5.798	177	0	5.975

Table 3.11. CO2 emissions of the tertiary sector per sub-sector and energy carrier [tons]

CO2 emissions - Tertiary sector




Figure 3.26. CO2 emissions from final use in the tertiary sector

Transports sector

	Diesel	Gasoline	Total
Transports (vehicles)	2.302	2.932	5.234
Passenger transport by road (public transport, taxi, tourism, transfers, etc.)	84	18	103
Freight transport by road and removal services	1.697	365	2.062
Other fleet for public and private services	7	42	49
Private transports	513	2.507	3.020

Table 3.12. CO2 emissions of the transports sector per sub-sector and energy carrier [tons]

CO2 emissions - Transports (vehicles)




Figure 3.27. CO2 emissions from final use in the transports sector

3.2. Projections to 2020 – Business as usual scenario

The Business As Usual (BAU) scenario results from a combination of existing data for the period 2005 – 2011 and simulated growth rates for the period 2012 – 2020.

The estimation of growth rates is based on national statistics and on local special characteristics in relation to estimated economic growth of each activity sector.

However, it should be noted that because of the uncertain status of the national economy the estimations are susceptible to change during the ISEAP implementation period; in this case the projections will be re-evaluated and updated accordingly.

In the following figures the development of the primary energy demand and the CO₂ emissions from final use from the base year 2005 till the target year 2020 are presented, showing an expected increase of 36% and 41% respectively.




Figure 3.28. BAU Scenario – Growing trend of Primary Energy Demand




Figure 3.29. BAU Scenario – Growing trend of CO₂ emissions from final use

3.2.1. Final energy demand

The evolution of the final energy demand according to the BAU scenario is presented in the following figures. The projections are shown per energy source (imported electricity, fossil fuels and renewable energy sources) and activity sector.

An almost linear increase (see

Figure 3.30) in the use of the available energy sources is expected, while a growth trend decrease is depicted for the period 2008 – 2011 mainly resulting from the national economic crisis.




Figure 3.30. BAU Scenario – Final Energy Demand per energy source




Figure 3.31. BAU Scenario – Final Energy Demand per activity sector

The final energy demand distribution per energy carrier and activity sector as expected for the year 2020 is presented in the following figures. Electricity (49%) and diesel (32%) will account for more than 80% of the total demand with the residential (54%) and tertiary (31%) sectors being the largest consumers.

In Table 3.13 a summary of the final energy demand distribution per energy carrier and activity sector for the target year 2020 is presented.




Figure 3.32. BAU Scenario – Final Energy Demand per energy carrier in 2020




Figure 3.33. BAU Scenario – Final Energy Demand per sector in 2020

Energy carrier		Residential [MWh]	Primary sector [MWh]	Secondary sector [MWh]	Tertiary sector [MWh]	Transports [MWh]	TOTAL [MWh]
Centralized Energy services	Electricity	21.215	1.033	4.572	39.408		66.227
	Fueloil			1.943			1.943
Fossil fuels	Diesel	25.859	187	2.030	6.163	9.500	43.740
	Gasoline					12.977	12.977
	LPG	3.350		137	640		4.127
Renewable Energy sources	Solar	3.239		77	1.167		4.483
	Biomass	7.285	214	268	339		8.104
TOTAL		60.947	1.434	9.026	47.717	22.477	141.601

Table 3.13. BAU Scenario final energy demand per sector and energy carrier in 2020

3.2.2. Energy conversion

Andros as an electrically interconnected island with the mainland grid receives all the needed electricity through a cable. There are no district heating or cooling installations. The estimated projection of imported electricity is shown in the following figure.

BAU Scenario - Imported Electricity




Figure 3.34. BAU Scenario – Secondary Energy Conversion – Imported electricity projection

3.2.3. Primary energy demand

In the following figures the BAU scenario projection of the primary energy demand and the respective shares per energy carrier in the year 2020 are presented.

BAU Scenario - Primary Energy Demand




Figure 3.35. BAU Scenario – Primary Energy Demand projections per energy carrier




Figure 3.36. BAU Scenario – Primary Energy Demand per energy carrier in 2020

3.2.4. Emissions of carbon dioxide

In the following figures and tables the BAU scenario CO₂ emissions from final use per energy carrier and activity sector are presented.




Figure 3.37. BAU Scenario – CO₂ emissions from final use projections per energy carrier




Figure 3.38. BAU Scenario – CO₂ emissions from final use per energy carrier in 2020




Figure 3.39. BAU Scenario – CO₂ emissions from final use projections per sector

3.3. Projections to 2020 – Action plan scenario

The ISEAP (Island Sustainable Energy Action Plan) scenario reflects the energy profile of the island to be achieved through the implementation of the planned actions in the period up to 2020. Several actions focusing on different activity sectors of the island contribute to the attainment of the ambitious goals of the local authority.

Specifically the local authority through the promotion and implementation of the ISEAP expects to reduce the primary energy demand by 40% and the CO₂ by at least 62% in 2020 in comparison to the BAU scenario. In comparison to the baseline year (2005) values, the respective magnitudes will be decreased almost by 4% and 20%, as presented in the following figures going beyond the EU goals, which for Greece is set to 4% reduction of GHG emissions by 2020 in comparison to 2005 reaching the average goal of EU for 20% reduction of GHG emissions.




Figure 3.40. ISEAP Scenario – Growing trend of Primary Energy Demand




Figure 3.41. ISEAP Scenario – Growing trend of CO₂ emissions from final use

3.3.1. Final energy demand

The evolution of the final energy demand according to the ISEAP scenario is presented in the following figures. The projections are shown per energy source (imported electricity, fossil fuels and renewable energy sources) and activity sector.

The ISEAP scenario aims to shift the linearly increasing of the BAU scenario to linearly decreasing trend of the final energy demand from 2012 and on when the ISEAP implementation has initiated (see Figure 3.42). The highest reduction between 2011 and 2020 is expected in the residential (6,7%), the tertiary (14%) and transports (32%) sectors (see Figure 3.43).




Figure 3.42. ISEAP Scenario – Final Energy Demand per energy source




Figure 3.43. ISEAP Scenario – Final Energy Demand per activity sector

The final energy demand distribution per energy carrier and activity sector in the target year 2020 is presented in the following figures where electricity will cover a greater part (56%) of the demand in comparison to the BAU scenario (47%) replacing a significant part of the diesel consumption (19% from 31% in BAU scenario) mainly because of introducing efficient heat pumps to cover the space heating demand will traditionally be produced from stand-alone oil burners. The additional electricity demand will be covered by introducing locally produced electricity from wind and solar power stations. Electricity and diesel remains the dominant energy carriers accounting for 80% of the total demand. The residential and tertiary sectors remain the largest consumers.

In

Energy carrier		Residential [MWh]	Primary sector [MWh]	Secondary sector [MWh]	Tertiary sector [MWh]	Transports [MWh]	TOTAL [MWh]
Centralized Energy services	Electricity	20.879	808	3.575	30.273	1.915	57.451
Fossil fuels	Fueloil			1.519			1.519
	Diesel	10.993	146	1.588	1.121	5.563	19.412
	Gasoline					6.570	6.570
	LPG	2.588		107	420		3.115
Renewable Energy sources	Solar	5.716		60	1.635		7.412
	Biomass	5.803	167	209	222		6.401
TOTAL		45.979	1.122	7.059	33.672	14.049	101.880

Table 3.14 is presented a summary of the expected final energy demand distribution per energy carrier and activity sector for the target year 2020 after the implementation of the ISEAP.




Figure 3.44. ISEAP Scenario – Final Energy Demand per energy carrier in 2020




Figure 3.45. ISEAP Scenario – Final Energy Demand per sector in 2020

Energy carrier		Residential [MWh]	Primary sector [MWh]	Secondary sector [MWh]	Tertiary sector [MWh]	Transports [MWh]	TOTAL [MWh]
Centralized Energy services	Electricity	20.879	808	3.575	30.273	1.915	57.451
	Fueloil			1.519			1.519
Fossil fuels	Diesel	10.993	146	1.588	1.121	5.563	19.412
	Gasoline					6.570	6.570
	LPG	2.588		107	420		3.115
Renewable Energy sources	Solar	5.716		60	1.635		7.412
	Biomass	5.803	167	209	222		6.401
TOTAL		45.979	1.122	7.059	33.672	14.049	101.880

Table 3.14. ISEAP Scenario final energy demand per sector and energy carrier in 2020

3.3.2. Energy conversion

The introduction of locally produced electricity is foreseen in The ISEAP scenario, with the first PV installations starting in 2012. By 2020 the island is expected to cover almost 30% of the electricity demand from locally installed PV and wind power stations.




Figure 3.46. ISEAP Scenario – Growth trend of Secondary Energy Conversion




Figure 3.47. ISEAP Scenario – Secondary Energy Conversion per energy carrier in 2020

3.3.3. Primary energy demand

In the following figures the ISEAP scenario projection of the primary energy demand and the respective shares per energy carrier in the year 2020 are presented.

The imported electricity is slightly decreased from 49% in the BAU scenario to 48% and the introduction of wind and solar energy as locally exploited energy sources results to the significant decrease in the use of fossil fuels on the island.




Figure 3.48. ISEAP Scenario – Growth trend of Primary Energy Demand per energy carrier




Figure 3.49. ISEAP Scenario – Primary Energy Demand per energy carrier in 2020

3.3.4. Emissions of carbon dioxide

In the following figures and tables the ISEAP scenario CO₂ emissions from final use per energy carrier and activity sector are presented. The share of CO₂ emissions resulting from the use of electricity (85%) are increased in comparison to the BAU scenario (83%) mainly because of the reduced consumption of diesel (10% share from 12% in the BAU scenario).




Figure 3.50. ISEAP Scenario – Growth trend of CO₂ emissions from final use per energy carrier




Figure 3.51. ISEAP Scenario – CO₂ emissions from final use per energy carrier in 2020

ISEAP Scenario - CO₂ emissions from final use




Figure 3.52. ISEAP Scenario – CO₂ emissions from final use projections per sector

The contribution of each activity sector in the reduction of CO₂ emissions is depicted in the following figures (Figure 3.53 to Figure 3.58) with the residential and tertiary sectors from the end use side along with the secondary energy conversion sector (i.e. the electricity production from RES units) are the most significant ones.

CO₂ emissions reduction - Residential sector




Figure 3.53. Comparison of CO₂ emissions from final use between BAU and ISEAP Scenarios in the residential sector




Figure 3.54. Comparison of CO₂ emissions from final use between BAU and ISEAP Scenarios in the primary sector




Figure 3.55. Comparison of CO₂ emissions from final use between BAU and ISEAP Scenarios in the secondary sector




Figure 3.56. Comparison of CO₂ emissions from final use between BAU and ISEAP Scenarios in the tertiary sector




Figure 3.57. Comparison of CO₂ emissions from final use between BAU and ISEAP Scenarios in the transports sector




Figure 3.58. Comparison of CO₂ emissions from final use between BAU and ISEAP Scenarios in the secondary energy conversion sector

The following table summarizes the contribution of each sector in the reduction of CO₂ in comparison to the BAU scenario in the target year 2020.

Action Sectors	CO ₂ emissions reduction
Residential	6,7%
Primary	0,4%
Secondary	2,2%
Tertiary	19,0%
Transports	0,3%
Electricity production	31,5%
TOTAL	61,8%

Table 3.15. Contribution in the CO₂ emissions reduction of each sector in comparison to the BAU scenario in 2020

4. ACTIONS

The ISEAP of Andros is developed in order to ensure the active contribution of the municipality, the citizens and stakeholders in reaching the national and European targets for greenhouse gases reduction until 2020. The long-term vision of the municipality of Andros is to succeed into restricting the rapidly increasing CO₂ emissions of the island by introducing the maximum amount of renewable energy sources on the energy production and demand side and by promoting the adoption of energy saving and efficiency in all activity sectors.

A wide range of actions is included in the action plan dealing with all the major activity sectors of the island. The selection of actions was carried out after considering several alternative scenarios with the scope to maximize the emissions reduction target with the minimum cost in the given time framework considering also the lately formulated national and local economic conditions.

For the public related sectors the municipality will function as an example for the rest of the island implementing energy saving and efficiency measures. For the rest of the activity sectors the municipality will promote respective horizontal actions while for the electricity production the aim is to maximize the local electricity production from RES in order to minimize the electricity imports to the mainland.

In the following table the expected results through the implementation of the ISEAP are summarized in terms of energy savings, renewable energy production and reduction of CO₂ emissions. The demand side management actions are contributing equally with actions for secondary energy production from RES in reaching the targets set for the island's CO₂ emissions. More details for the specific actions in each sector are presented in the following chapters.

SECTOR	ENERGY SAVINGS TARGET IN 2020 [MWh/year]	RENEWABLE ENERGY PRODUCTION TARGET IN 2020 [MWh/year]	CO ₂ REDUCTION TARGET IN 2020 [ton/year]
RESIDENTIAL	1.668	111	510
PRIMARY	37	-	33
SECONDARY	229	-	167
TERTIARY	1.663	39	1.439
TRANSPORTS	914	-	24
SECONDARY ENERGY PRODUCTION	-	1.876	2.380
TOTAL	4.511	2.026	4.553

Table 4.1. ISEAP expected results in 2020 for every activity sector

4.1. Residential

In the following tables details of the actions planned for the residential sector are presented. The main focus is given on the promotion of energy saving and energy efficiency in everyday energy behaviour of the citizens but also in the use of renewable energy sources for the production of space and water heating. Also in some cases the substitution of fossil fuels consumption by electricity is promoted considering the fact that the local production of electricity from RES will be also promoted through the ISEAP.

SECTORS AND FIELDS OF ACTION	ACTIONS	RESPONSIBLE FOR IMPLEMENTATION	EXPECTED ENERGY SAVINGS [MWh/year]	EXPECTED RENEWABLE ENERGY PRODUCTION [MWh/year]	EXPECTED CO2 REDUCTION [ton/year]
RESIDENTIAL SECTOR					
Hot water	Reduce the annual hot water energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Andros	28		14
	Increase to 50% the total hot water energy demand supplied from solar thermal by 2020	Municipality of Andros	13	286	217
Heating and cooling	Reduce the annual space heating energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Andros	85		31
	Increase by 20% the total space heating energy demand supplied from heat pumps by 2020	Municipality of Andros	310		-542
	Reduce the annual space cooling energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Andros	85		31
	Increase by 30% the energy efficiency of air-conditioning systems by 2020 through the promotion of air-conditioning with inverter	Municipality of Andros	787		289
Lighting	Reduce the annual lighting energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Andros	9		10
	Increase by 20% the energy efficiency of lighting systems by 2020 through the promotion of energy efficient lamps	Municipality of Andros	125		144
Cooking	Reduce the annual cooking energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Andros	13		8

	Increase by 20% the energy efficiency of cooking appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Andros	116		74
Refrigerator and freezers	Reduce the annual electrical appliances energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Andros	9		14
	Increase by 20% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Andros	82		94
Laundry machines and dryers	Reduce the annual electrical appliances energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Andros	1		1
	Increase by 20% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Andros	5		6
Dish washing	Reduce the annual electrical appliances energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Andros	1		1
	Increase by 20% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Andros	7		8
TV sets	Reduce the annual electrical appliances energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Andros	1		1
	Increase by 20% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Andros	6		7
Other electric appliances	Reduce the annual electrical appliances energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Andros	6		7
	Increase by 20% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Andros	58		67

Table 4.2. Details for the actions planned in the residential sector

ENERGY SAVINGS TARGET IN 2020 [MWh/year]	RENEWABLE ENERGY PRODUCTION TARGET IN 2020 [MWh/year]	CO2 REDUCTION TARGET IN 2020 [ton/year]
RESIDENTIAL SECTOR		
1.668	111	510

Table 4.3. Summary table of the actions planned in the residential sector

4.2. Primary sector

In the following tables details of the actions planned for the primary sector are presented. The actions focus on the agricultural sector aiming to the reduction of energy consumption by the professionals and to the energy efficiency upgrade of irrigation systems.

SECTORS AND FIELDS OF ACTION	ACTIONS	RESPONSIBLE FOR IMPLEMENTATION	EXPECTED ENERGY SAVINGS [MWh/year]	EXPECTED RENEWABLE ENERGY PRODUCTION [MWh/year]	EXPECTED CO2 REDUCTION [ton/year]
PRIMARY SECTOR					
Agriculture, forestry and fishing	Reduce the annual agricultural, forestry and fishing energy demand growth rate by 10% by promoting every day energy saving measures from the professionals	Municipality of Andros - Local association	4		3
	Increase by 20% the energy efficiency of agricultural irrigation systems by 2020 through the promotion of old irrigation systems substitution with new more efficient ones	Municipality of Andros - Local association	34		30

Table 4.4. Details for the actions planned in the primary sector

ENERGY SAVINGS TARGET IN 2020 [MWh/year]	RENEWABLE ENERGY PRODUCTION TARGET IN 2020 [MWh/year]	CO2 REDUCTION TARGET IN 2020 [ton/year]
PRIMARY SECTOR		
37		33

Table 4.5. Summary table of the actions planned in the primary sector

4.3. Secondary sector

In the following tables details of the actions planned for the secondary sector are presented. The main focus is given on the collaboration among the municipality and local

associations to commit the local companies into setting initial mainstream targets for energy saving and increasing energy efficiency of their equipment and services. Concerning the water supply, sewerage and waste management activities supplied by the municipality actions concerning the energy consumption of the systems are planned and will be carried out by the municipality's own personnel and funding.

SECTORS AND FIELDS OF ACTION	ACTIONS	RESPONSIBLE FOR IMPLEMENTATION	EXPECTED ENERGY SAVINGS [MWh/year]	EXPECTED RENEWABLE ENERGY PRODUCTION [MWh/year]	EXPECTED CO2 REDUCTION [ton/year]
SECONDARY SECTOR					
Manufacturing	Reduce the annual manufacturing energy demand growth rate by 10% by promoting every day energy saving measures from the professionals	Municipality of Andros - Local association	11		7
	Increase by 20% the energy efficiency of manufacturing technologies by 2020 through the promotion of old systems substitution with new more efficient ones	Municipality of Andros - Local association	97		62
Water supply, sewerage, waste management and remediation activities	Reduce the annual water supply, waste management and remediation activities energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Andros	3		3
	Increase by 20% the energy efficiency of the pumping stations operating for the support of the sector by 2020 through the introduction of inverters to existing pumping stations or substitution of old stations with new efficient ones	Municipality of Andros	27		31
Construction	Reduce the annual construction energy demand growth rate by 10% by promoting every day energy saving measures from the professionals	Municipality of Andros - Local association	10		7
	Increase by 20% the energy efficiency of construction technologies by 2020 through the promotion of old systems substitution with new more efficient ones	Municipality of Andros - Local association	87		61

Table 4.6. Details for the actions planned in the secondary sector

ENERGY SAVINGS TARGET IN 2020 [MWh/year]	RENEWABLE ENERGY PRODUCTION TARGET IN 2020 [MWh/year]	CO2 REDUCTION TARGET IN 2020 [ton/year]
SECONDARY SECTOR		
229		167

Table 4.7. Summary table of the actions planned in the secondary sector

4.4. Tertiary sector

In the following tables details of the actions planned for the tertiary sector are presented. The main focus is given on the collaboration among the municipality and local business associations to commit the local companies into setting initial mainstream targets for energy saving and increasing energy efficiency of their equipment and services.

Especially for the accommodation and food services service activities, considering the importance of tourism for the island, a wide range of actions are planned in order to reduce the seasonal increased CO₂ emissions during the touristic periods.

For the sub-sectors managed by the municipality (general administration, education, human health activities and public lighting) the actions concerning the energy consumption of the respective buildings (ex. town hall, schools, health centre, street lighting, etc.) and systems are planned and will be carried out in most cases by the municipality's own personnel and funding.

SECTORS AND FIELDS OF ACTION	ACTIONS	RESPONSIBLE FOR IMPLEMENTATION	EXPECTED ENERGY SAVINGS [MWh/year]	EXPECTED RENEWABLE ENERGY PRODUCTION [MWh/year]	EXPECTED CO2 REDUCTION [ton/year]
TERTIARY SECTOR					
Wholesale and retail trade; repair of motor vehicles and motorcycles	Reduce the annual wholesale and retail trade energy demand growth rate by 10% by promoting every day energy saving measures from the professionals	Municipality of Andros - Local association	24		25
	Energy efficiency measures - Increase by 30% the energy efficiency of air-conditioning systems by 2020 through the promotion of air-conditioning with inverter - Increase by 20% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Andros - Local association	183		191
	Increase by 20% the total space heating energy demand supplied from heat pumps by 2020	Municipality of Andros - Local association	21		-25

Accommodation and food service activities	Reduce the annual accommodation service activities energy demand growth rate by 10% by promoting every day energy saving measures from the owners, personnel and the visitors	Municipality of Andros - Local association	62		60
	Energy efficiency measures - Increase by 30% the energy efficiency of air-conditioning systems by 2020 through the promotion of air-conditioning with inverter and door deactivating sensors - Increase by 30% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones and by introducing the key card electricity deactivating system	Municipality of Andros - Local association	476		465
	Increase by 20% the total space heating energy demand supplied from heat pumps by 2020 - Increase by 20% the total hot water energy demand supplied from solar thermal by 2020	Municipality of Andros - Local association	5	68	33
	Reduce the food service activities energy demand growth rate by 10% by promoting every day energy saving measures from the owners and personnel	Municipality of Andros - Local association	62		60
	Energy efficiency measures - Increase by 30% the energy efficiency of air-conditioning systems by 2020 through the promotion of air-conditioning with inverter - Increase by 30% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones and by introducing motion sensors for the toilet lighting - Increase by 30% the energy efficiency of cooking appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Andros - Local association	476		465
	Increase by 20% the total space heating demand supplied from heat pumps by 2020 - Increase by 20% the total hot water energy demand supplied from solar thermal by 2020	Municipality of Andros - Local association	37	31	-15
General public administration and social security	Reduce the annual general public administration and social security energy demand growth rate by 10% by promoting every day	Municipality of Andros	4		4

	energy saving measures from the employees				
	Energy efficiency measures - Increase by 30% the energy efficiency of air-conditioning systems by 2020 through the introduction of air-conditioning with inverter - Increase by 30% the energy efficiency of electrical appliances by 2020 through the substitution of old devices with more efficient ones (green procurement) and by introducing motion sensors for the toilet lighting - Increase by 30% the energy efficiency of heating systems by 2020 through the replacement of old window and door frames of public buildings with more efficient ones	Municipality of Andros	44		43
	Increase to 30% the total space heating demand supplied from heat pumps by 2020	Municipality of Andros	6		-12
Education	Reduce the annual education energy demand growth rate by 10% by promoting every day energy saving measures from the professors and students	Municipality of Andros	3		2
	Energy efficiency measures - Increase by 30% the energy efficiency of electrical appliances by 2020 through the substitution of old devices with more efficient ones (green procurement) and by introducing motion sensors for the toilet lighting - Increase by 30% the energy efficiency of heating systems by 2020 through the replacement of old window and door frames of public buildings with more efficient ones	Municipality of Andros - School boards	29		20
	Increase to 30% the total space heating energy demand supplied from heat pumps by 2020	Municipality of Andros - School boards	10		-29
Human health and social work activities	Reduce the annual human health and social work activities energy demand growth rate by 10% by promoting every day energy saving measures from the employees and visitors	Municipality of Andros - School boards	0,2		0,1

	Energy efficiency measures - Increase by 30% the energy efficiency of air-conditioning systems by 2020 through the introduction of air-conditioning with inverter - Increase by 30% the energy efficiency of electrical appliances by 2020 through the substitution of old devices with more efficient ones (green procurement) and by introducing motion sensors for the toilet lighting - Increase by 30% the energy efficiency of heating systems by 2020 through the replacement of old window and door frames of public buildings with more efficient ones	Municipality of Andros - Health center	2		1
	Increase to 30% the total space heating energy demand supplied from heat pumps by 2020 - Increase to 30% the total hot water energy demand supplied from solar thermal by 2020	Municipality of Andros - Health center	0,3	10	3
Other services	Reduce the annual other services energy demand growth rate by 10% by promoting every day energy saving measures from the professionals	Municipality of Andros - Health center	20		21
	Energy efficiency measures - Increase by 30% the energy efficiency of air-conditioning systems by 2020 through the promotion of air-conditioning with inverter - Increase by 20% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Andros - Local association	152		159
	Increase by 20% the total space heating energy demand supplied from heat pumps by 2020	Municipality of Andros - Local association	51		-62
Public lighting	Reduce the annual public lighting energy demand growth rate by 10% through the promotion of energy saving measures from the local authorities.	Municipality of Andros - Local association	3		4
	Increase by 20% the energy efficiency of public lighting systems by 2020 through the spatial and technical optimization of the lighting network.	Municipality of Andros - PPC	32		36

Table 4.8. Details for the actions planned in the tertiary sector

ENERGY SAVINGS TARGET IN 2020 [MWh/year]	RENEWABLE ENERGY PRODUCTION TARGET IN 2020 [MWh/year]	CO2 REDUCTION TARGET IN 2020 [ton/year]
TERTIARY SECTOR		
1.663	39	1.439

Table 4.9. Summary table of the actions planned in the tertiary sector

4.5. Transports

In the following tables details of the actions planned for the transports sector are presented. The main focus is given on the promotion of eco-driving techniques by the respective users and the introduction of electric vehicles (EVs) in the island's fleet in collaboration to companies relevant to each sub-sector (buses, taxis, etc.) and the citizens. The increase of electricity consumption through the use of EVs leading to a reduction of fossil fuels is promoted considering the fact that the local production of electricity from RES will be also promoted through the ISEAP.

The municipality will function as an example for the rest of the transports sector being the first to implement the proposed actions to the public fleet.

SECTORS AND FIELDS OF ACTION	ACTIONS	RESPONSIBLE FOR IMPLEMENTATION	EXPECTED ENERGY SAVINGS [MWh/year]	EXPECTED RENEWABLE ENERGY PRODUCTION [MWh/year]	EXPECTED CO2 REDUCTION [ton/year]
TRANSPORTS SECTOR					
Passenger transport by road (public transport, taxi, tourism, transfers, etc.)	Double the annual passenger transport by road energy demand growth rate in favour of public transport by 2020 by assuring the quality offered by the public transports and promoting its use and by constructing bike roads.	Municipality of Andros - Andros KTEL	-5		-1
	Increase by 20% the energy efficiency of passenger transports by road by 2020 through the promotion of eco-driving practices.	Municipality of Andros - Transfer operators - Taxis	14		4
	Increase to 10% the passenger transport by road energy demand supplied from electricity by 2020 through the introduction of hybrid – electrical buses	Municipality of Andros	-0,5		-5
Other fleet for public and private services	Increase by 20% the energy efficiency of other fleet for public and private services by 2020 through the promotion of eco-driving practices.	Municipality of Andros	9		2

	Increase to 10% the other fleet for public and private services energy demand supplied from electricity by 2020 through the introduction – promotion of hybrid – electrical vehicles.	Municipality of Andros	-0,2		-2
Freight transport by road and removal services	Increase by 20% the energy efficiency of Freight transport by road and removal services by 2020 through the promotion of eco-driving practices.	Municipality of Andros	288		76
	Increase to 10% the passenger transport by road energy demand supplied from electricity by 2020 through the promotion of hybrid – electrical trucks.	Municipality of Andros	-10		-99
Private transports	Reduce to half the annual private transports energy demand growth rate by 2020 through the promotion of sustainable transports (public transports, bicycle).	Municipality of Andros	68		17
	Increase by 20% the energy efficiency of private transports by 2020 through the promotion of eco-driving practices.	Municipality of Andros	588		148
	Increase to 10% the private transports energy demand supplied from electricity by 2020 through the promotion of hybrid – electrical vehicles	Municipality of Andros	-15		-154

Table 4.10. Details for the actions planned in the transports sector

ENERGY SAVINGS TARGET IN 2020 [MWh/year]	RENEWABLE ENERGY PRODUCTION TARGET IN 2020 [MWh/year]	CO2 REDUCTION TARGET IN 2020 [ton/year]
TRANSPORTS SECTOR		
914		24

Table 4.11. Summary table of the actions planned in the transports sector

4.6. Secondary energy production and energy fluxes

In the following tables details of the actions planned for the secondary energy production and energy fluxes sector are presented. The municipality will promote the installation of renewable energy sources, specifically wind and PV parks, either in small or medium scale projects reassuring the respect to the island's spatial planning and the local ecosystem. The municipality will also function as a hub of information and potential collaboration with investors interested to fund such projects.

SECTORS AND FIELDS OF ACTION	ACTIONS	RESPONSIBLE FOR IMPLEMENTATION	EXPECTED ENERGY SAVINGS [MWh/year]	EXPECTED RENEWABLE ENERGY PRODUCTION [MWh/year]	EXPECTED CO2 REDUCTION [ton/year]
SECONDARY ENERGY PRODUCTION AND ENERGY FLUXES					
Wind	Promotion of wind turbines installation	Municipality of Andros		1.441	1.805
Solar	Promotion of PV installation on the ground and on the roofs	Municipality of Andros		436	575

Table 4.12. Details for the actions planned in the secondary energy production sector

ENERGY SAVINGS TARGET IN 2020 [MWh/year]	RENEWABLE ENERGY PRODUCTION TARGET IN 2020 [MWh/year]	CO2 REDUCTION TARGET IN 2020 [ton/year]
SECONDARY ENERGY PRODUCTION AND ENERGY FLUXES		
	1.876	2.380

Table 4.13. Summary table of the actions planned in the secondary energy production sector

4.7. Land use planning

On this stage of the ISEAP development there are not included actions concerning the land use planning. However, the local authorities in collaboration also with the regional authorities will proceed to concrete land use planning studies in the near future resulting to actions to be included to the ISEAP on a next planning phase.

4.8. Public procurement of products and services

On this stage of the ISEAP development there are not included specific actions concerning the definition of standards for the public procurement of products and services. However, an initial phase of developing relevant actions are considered actions planned under the tertiary sector and especially the equipment for municipal buildings and public lighting focusing on the procurement of energy efficient units. On a next action planning phase it is expected these actions to be materialized also to specific procurement standards.

4.9. Citizen and stakeholders

Several actions planned under the residential, primary, secondary, tertiary and transports sectors are focusing on raising awareness of the citizens and stakeholders in order to contribute in reaching the ambitious targets of the ISEAP. The maximization of their involvement in the implementation of the ISEAP and their support and commitment to it is considered a key use for a success.

5. ORGANIZATIONAL AND FINANCIAL MECHANISMS

The success of the ISEAP besides the good planning and estimation of resources relies heavily on the organizational and financial mechanisms to be established. Specific coordination and organizational structures will be formulated and supported by staff allocated to carry out the different phases of the ISEAP implementation and monitoring. The citizens and stakeholders through their involvement to the ISEAP processes will also constitute a valuable organizational mechanism, critical for the success of this effort. However, in order for all these efforts to be materialized concrete budget allocations should be ensured by taking advantage of all possible financing sources and instruments.

5.1. Coordination and organizational structures

A two level coordination and organizational structure is decided in order to ensure the efficient implementation of the ISEAP. The steering committee on the one hand will take over the coordination during the ISEAP's different phases while on the other hand the work group will mainly focus on the realization of the actions, the monitoring of the ISEAP and the possible updating of the ISEAP contents.

Steering Committee:

- The Mayor of Andros
- DAFNI (Network of Aegean Islands for Sustainability)

Work group:

- The energy representative of the municipality
- The technical department of the municipality
- DAFNI (Network of Aegean Islands for Sustainability)

5.2. Staff capacity

It is absolutely clear that the ISEAP implementation and monitoring will require the allocation of devoted and committed staff that will be able to set the ISEAP as their occupation priority. The staff consists of:

- The energy representative of the municipality of Andros (1 person)
- The technical department of the municipality of Andros (2 persons)

Furthermore, it is of the municipality's main pursuit to involve the most of the citizens and especially school students in the process of the ISEAP implementation on a volunteering base, especially for the period when energy audits and intense monitoring processes will be taking place.

5.3. Involvement of stakeholders

In order to reassure the active involvement of stakeholders in the implementation of the ISEAP frequent ISEAP info days and conferences will be organized.

Further involvement of the citizens is expected since periodically they will be asked to fill in energy audits in order to monitor the progress and change in their energy behaviours.

Also, specialized meetings and discussions will be held among the steering committee and the stakeholders related to specific sectors in all steps of the ISEAP implementation in order to maintain their interest and commitment to the ISEAP targets.

5.4. Budget

(The budget will be finalized upon the final approval of the ISEAP)

5.5. Financing sources and instruments

Securing the necessary financing sources and instruments for the successful implementation of the ISEAP will be one of the major challenges for the municipality. In the following list some of the expected financing sources are presented.

- Municipal budget allocations
- Regional budget allocations
- Loans
- Revolving funds
- NSRF (National Strategic Reference Framework)
- European Investment Bank
- Private investments
- Citizen cooperatives
- Third party financing
- Public and private sector partnerships

5.6. Monitoring and follow-up

The Energy - CO₂ and ISEAP monitoring tools developed under the ISLE-PACT project will be used in combination to energy audits in order to monitor the success of the ISEAP and the development of Andros's energy profile. The monitoring task will be taken over by the work group. An ISEAP monitoring template and a respective report will be submitted at least every two years to the European Commission in order to highlight the progress in the ISEAP implementation.

Bibliography

Elaboration:



Local and regional authorities:

Municipality of Andros



Region of South Aegean

Financial support:



Disclaimer:

The sole responsibility for the content of this document lies with the authors. It does not necessarily reflect the opinion of the European Communities. The European Commission is not responsible for any use that may be made of the information contained therein.