

# **ISLAND SUSTAINABLE ENERGY ACTION PLAN**

## ***ISLAND OF SAMOTHRACE***

**Date**

**30/4/2012**

## Executive summary

The Municipality of Samothrace by signing the Pact of Islands takes action towards sustainable development and the fight against climate change at local level. Together with other Greek and European islands commits to meet the targets set by the European Union for the reduction of greenhouse gas emissions.

The long-term vision of the local authorities is to succeed into restricting the rapidly increasing CO<sub>2</sub> emissions of the island by introducing the maximum amount of renewable energy sources in the energy production and demand side and by promoting the adoption of energy saving and efficiency in all activity sectors.

### Objectives and Targets


With the present sustainable energy action plan, Samothrace sets clear and ambitious objectives and targets concerning the island's local energy policy.

The objectives set for the target year 2020 focus on increasing the island's energy supply security, reducing its dependence on energy imports and finally reducing the island's energy and CO<sub>2</sub> emissions footprint.

Specifically, the targets set for 2020 focus on reducing by 40% the primary energy demand and by 50% the CO<sub>2</sub> emissions in comparison to the projections of the business as usual scenario, meeting the 27% of the primary energy demand and the 21% of the electricity demand by the use of local renewable energy sources.

### Energy balance and CO<sub>2</sub> emissions in the base year

The year 2005 was selected as base year for the energy planning process of Samothrace's ISEAP, following the EU targets set for fighting climate change. In the following figures Samothrace's energy profile for the year 2005 is shown. The strong dependence on fossil fuels is apparent.



### **Main fields of action**

A wide range of actions is included in the action plan dealing with all the major activity sectors of the island. The selection of actions was carried out after considering several alternative scenarios with the scope to maximize the emissions reduction target with the minimum cost in the given time framework considering also the lately formulated national and local economic conditions.

### **Coordination structure**

A two level coordination and organizational structure is decided in order to ensure the efficient implementation of the ISEAP. The steering committee on the one hand will take over the coordination during the ISEAP's different phases while on the other hand the work group will mainly focus on the realization of the actions, the monitoring of the ISEAP and the possible updating of the ISEAP contents.

### **Budget and Financing**

*The budget will be finalized upon the final approval of the ISEAP.*

Securing the necessary financing sources and instruments for the successful implementation of the ISEAP will be one of the major challenges for the Municipality. The allocation of Municipal and Regional budget combined with loans, revolving funds, citizens cooperatives, third party financing, private investments and public and private sector partnerships are some of the financing schemes to be used for the realization of the ISEAP.

# Contents

<b>1. CONTEXT</b>	<b>1</b>
1.1. Geography and territory	1
1.2. Demography	1
1.3. Economy	2
1.4. Political and administrative structures	2
<b>2. OVERALL STRATEGY</b>	<b>4</b>
2.1. Current framework and vision for the future	4
2.2. Objectives and targets	4
2.3. Strategic guidelines	5
<b>3. ENERGY BALANCE AND EMISSION INVENTORY</b>	<b>6</b>
3.1. Baseline situation	6
3.1.1. Final energy demand	6
3.1.2. Energy conversion	15
3.1.3. Primary energy demand	15
3.1.4. Emissions of carbon dioxide	16
3.2. Projections to 2020 – Business as usual scenario	22
3.2.1. Final energy demand	23
3.2.2. Energy conversion	25
3.2.3. Primary energy demand	25
3.2.4. Emissions of carbon dioxide	26
3.3. Projections to 2020 – Action plan scenario	27
3.3.1. Final energy demand	29
3.3.2. Energy conversion	31
3.3.3. Primary energy demand	32
3.3.4. Emissions of carbon dioxide	33
<b>4. ACTIONS</b>	<b>38</b>
4.1. Residential	39
4.2. Primary sector	41
4.3. Secondary sector	42
4.4. Tertiary sector	43
4.5. Transports	47
4.6. Secondary energy production and energy fluxes	49
4.7. Land use planning	50
4.8. Public procurement of products and services	50
4.9. Citizen and stakeholders	50
<b>5. ORGANIZATIONAL AND FINANCIAL MECHANISMS</b>	<b>51</b>
5.1. Coordination and organizational structures	51
5.2. Staff capacity	51
5.3. Involvement of stakeholders	52
5.4. Budget	52
5.5. Financing sources and instruments	52
5.6. Monitoring and follow-up	52

## Tables

Table 1.1. Land use	1
Table 1.2. Population evolution (source: EL.STAT)	2
Table 3.1. Final energy demand of the residential sector in base year 2005 [MWh]	7
Table 3.2. Final energy demand of the primary sector in base year 2005 [MWh]	9
Table 3.3. Final energy demand of the secondary sector in base year 2005 [MWh]	9
Table 3.4. Final energy demand of the tertiary sector in base year 2005 [MWh]	11
Table 3.5. Final energy demand of the transports sector in base year 2005 [MWh]	13
Table 3.6. Final energy demand per sector and energy carrier	15
Table 3.7. Primary energy demand per energy carrier [MWh]	16
Table 3.8. CO <sub>2</sub> emissions of the residential sector per sub-sector and energy carrier [tons]	17
Table 3.9. CO <sub>2</sub> emissions of the primary sector per sub-sector and energy carrier [tons]	18

Table 3.10. CO <sub>2</sub> emissions of the secondary sector per sub-sector and energy carrier [tons]	18
Table 3.11. CO <sub>2</sub> emissions of the tertiary sector per sub-sector and energy carrier [tons]	19
Table 3.12. CO <sub>2</sub> emissions of the transports sector per sub-sector and energy carrier [tons]	20
Table 3.13. BAU Scenario final energy demand per sector and energy carrier in 2020	24
Table 3.14. ISEAP Scenario final energy demand per sector and energy carrier in 2020	30
Table 3.15. Contribution in the CO <sub>2</sub> emissions reduction of each sector in comparison to the BAU scenario in 2020	37
Table 4.1. ISEAP expected results in 2020 for every activity sector	38
Table 4.2. Details for the actions planned in the residential sector	40
Table 4.3. Summary table of the actions planned in the residential sector	41
Table 4.4. Details for the actions planned in the primary sector	41
Table 4.5. Summary table of the actions planned in the primary sector	41
Table 4.6. Details for the actions planned in the secondary sector	43
Table 4.7. Summary table of the actions planned in the secondary sector	43
Table 4.8. Details for the actions planned in the tertiary sector	47
Table 4.9. Summary table of the actions planned in the tertiary sector	47
Table 4.10. Details for the actions planned in the transports sector	49
Table 4.11. Summary table of the actions planned in the transports sector	49
Table 4.12. Details for the actions planned in the secondary energy production sector	49
Table 4.13. Summary table of the actions planned in the secondary energy production sector	49

## Figures

Figure 1.1. The Island of Samothrace	2
Figure 3.1. Distribution of residential final energy demand among the different sub-sectors	7
Figure 3.2. Distribution of the residential sector FED to the different energy carriers	8
Figure 3.3. Distribution of hot water energy demand to the different energy carriers	8
Figure 3.4. Distribution of heating and cooling energy demand to the different energy carriers	8
Figure 3.5. Distribution of cooking energy demand to the different energy carriers	8
Figure 3.6. Distribution of the primary sector FED to the different energy carriers	9
Figure 3.7. Distribution of the secondary sector FED to the different sub-sectors	10
Figure 3.8. Distribution of the secondary sector FED to the different energy carriers	10
Figure 3.9. Distribution of manufacturing sector energy demand to the different energy carriers	10
Figure 3.10. Distribution of construction sector energy demand to the different energy carriers	10
Figure 3.11. Distribution of the tertiary sector FED to the different sub-sectors	11
Figure 3.12. Distribution of the tertiary sector FED to the different energy carriers	12
Figure 3.13. Distribution of wholesale and retail trade sector energy demand to the different energy carriers	12
Figure 3.14. Distribution of accommodation and food service activities sector energy demand to the different energy carriers	12
Figure 3.15. Distribution of general public administration and social security sector energy demand to the different energy carriers	12
Figure 3.16. Distribution of human health and social work activities sector energy demand to the different energy carriers	13
Figure 3.17. Distribution of education sector energy demand to the different energy carriers	13
Figure 3.18. Distribution of the transports sector FED to the different sub-sectors	14
Figure 3.19. Distribution of the tertiary sector FED to the different energy carriers	14
Figure 3.20. Distribution of Final Energy Demand to the different sectors	15
Figure 3.21. Distribution of Final Energy Demand to the different energy carriers	15
Figure 3.22. Primary energy demand distribution to the different energy carriers	16
Figure 3.23. Distribution of overall CO <sub>2</sub> emissions from final use to the different sectors	17
Figure 3.24. CO <sub>2</sub> emissions from final use in the residential sector	18
Figure 3.25. CO <sub>2</sub> emissions from final use in the secondary sector	19
Figure 3.26. CO <sub>2</sub> emissions from final use in the tertiary sector	20
Figure 3.27. CO <sub>2</sub> emissions from final use in the transports sector	21
Figure 3.28. BAU Scenario – Growing trend of Primary Energy Demand	22
Figure 3.29. BAU Scenario – Growing trend of CO <sub>2</sub> emissions from final use	22
Figure 3.30. BAU Scenario – Final Energy Demand per energy source	23
Figure 3.31. BAU Scenario – Final Energy Demand per activity sector	23
Figure 3.32. BAU Scenario – Final Energy Demand per energy carrier in 2020	24
Figure 3.33. BAU Scenario – Final Energy Demand per sector in 2020	24

Figure 3.34. BAU Scenario – Secondary Energy Conversion – Imported electricity projection .....	25
Figure 3.35. BAU Scenario – Primary Energy Demand projections per energy carrier.....	25
Figure 3.36. BAU Scenario – Primary Energy Demand per energy carrier in 2020 .....	26
Figure 3.37. BAU Scenario – CO <sub>2</sub> emissions from final use projections per energy carrier.....	26
Figure 3.38. BAU Scenario – CO <sub>2</sub> emissions from final use per energy carrier in 2020 .....	27
Figure 3.39. BAU Scenario – CO <sub>2</sub> emissions from final use projections per sector .....	27
Figure 3.40. ISEAP Scenario – Growing trend of Primary Energy Demand.....	28
Figure 3.41. ISEAP Scenario – Growing trend of CO <sub>2</sub> emissions from final use.....	28
Figure 3.42. ISEAP Scenario – Final Energy Demand per energy source.....	29
Figure 3.43. ISEAP Scenario – Final Energy Demand per activity sector.....	29
Figure 3.44. ISEAP Scenario – Final Energy Demand per energy carrier in 2020.....	30
Figure 3.45. ISEAP Scenario – Final Energy Demand per sector in 2020.....	30
Figure 3.46. ISEAP Scenario – Growth trend of Secondary Energy Conversion .....	31
Figure 3.47. ISEAP Scenario – Secondary Energy Conversion per energy carrier in 2020.....	31
Figure 3.48. ISEAP Scenario – Growth trend of Primary Energy Demand per energy carrier .....	32
Figure 3.49. ISEAP Scenario – Primary Energy Demand per energy carrier in 2020 .....	32
Figure 3.50. ISEAP Scenario – Growth trend of CO <sub>2</sub> emissions from final use per energy carrier .....	33
Figure 3.51. ISEAP Scenario – CO <sub>2</sub> emissions from final use per energy carrier in 2020 .....	33
Figure 3.52. ISEAP Scenario – CO <sub>2</sub> emissions from final use projections per sector .....	34
Figure 3.53. Comparison of CO <sub>2</sub> emissions from final use between BAU and ISEAP Scenarios in the residential sector .....	34
Figure 3.54. Comparison of CO <sub>2</sub> emissions from final use between BAU and ISEAP Scenarios in the primary sector.....	35
Figure 3.55. Comparison of CO <sub>2</sub> emissions from final use between BAU and ISEAP Scenarios in the secondary sector .....	35
Figure 3.56. Comparison of CO <sub>2</sub> emissions from final use between BAU and ISEAP Scenarios in the tertiary sector.....	36
Figure 3.57. Comparison of CO <sub>2</sub> emissions from final use between BAU and ISEAP Scenarios in the transports sector.....	36
Figure 3.58. Comparison of CO <sub>2</sub> emissions from final use between BAU and ISEAP Scenarios in the secondary energy conversion sector .....	37

# 1. CONTEXT

## 1.1. Geography and territory

Samothraki is located in the northeast aegean sea 25n.m. far from Aleksandroupoli and opposite of Evros's Delta. The shape is oval with the long axis in the direction EW and length of 21.5 km while in the NS direction the length is approximately 12.5km. The island covers an area of 178km<sup>2</sup>, with a coastline of 59.3km.

Samothraki is mountainous island; the mountain area covers the 54% of the total area of the island, while the rest 46% represents the lowland and coastal zone. The mountain range characterizing the morphology of the island is called Saos; it is directed from NW to SE and the highest peak has an altitude of 1611m.

In contrast to the wild and craggy mountains, the coastal zone is flat and it is characterized by the absence of natural ports.

The scenery between the north and south part of the island is very different. In the first case, it is dominated by the green slopes of Saos with forests, fruit crops, dense scrublands and impressive waterfalls. In the second case, the landscape approaches the typical image of the north aegean islands; hilly land with light heathland, fields and olive groves.

Since 2000, Samothraki is interconnected with Alexandroupoli by two power cables of 10MW each.

Land use	Area in km <sup>2</sup>	Percentage of total area
Agriculture	30.8	17.3%
Pasture	63.6	35.7%
Forest	59	33.2%
Waters	5	2.8%
Artificial	4.6	2.6%
Other	15	8.4%

Table 1.1. Land use





Figure 1.1. The Island of Samothrace

## 1.2. Demography

As it is shown in the following table, there is a downward trend of the population through years due to immigration of the population towards foreign countries and major city of Greece.

Major Areas / Year	1951	1961	1971	1981	1991	2001
Chora	1.795	1.555	508	941	719	
Alonia	678	690	2	423	356	
Pr. Ilias	415	218	12	207	183	
Kamariotisa	176	277	80	546	826	
Lakoma	548	448	17	423	376	
Xiropotamos	452	358	2	118	76	
Samothaki Total	4.258	3.830	3.012	2.871	3.083	2.723
Growth rate	-	-10,1%	-21,4%	-4,7%	7,4%	-11,7%

Table 1.2. Population evolution (source: EL.STAT)

## 1.3. Economy

The traditional economy sectors in Samothraki are livestock, agriculture, fishery and lately tourism. However, the development of tourism sector is reduced compared to the other island of Aegean.




In the past years the agricultural crops geared to meeting the needs of households. The majority of the cultivated crops were cereals followed by beans, tobacco, figs, honey and grapes. Today agriculture employs around 100 families. Around 300 families maintain pastoral goat herds and 60 families are employed in the fishery sector, but they have also some other jobs to supplement their income.

## 1.4. Political and administrative structures

Samothraki belongs in the Region of Anatoliki Makedonia Thraki; the settlements of the island comprise the municipality of Samothraki.

The political and administrative organisational structure of Samothraki island in relation to the energy field and sustainable development is presented in the following diagram.



PPC: Public Power Corporation

RAE: Regularity Authority for Energy

HTSO: Hellenic Transmission System Operator S.A.

MEECC: Ministry of Environment Energy & Climate Change

CRES: Centre for Renewable Energy Sources

DAFNI: Network of Aegean Islands for Sustainability

## 2. OVERALL STRATEGY

### 2.1. Current framework and vision for the future

Samothrace, although an island, is considered interrelated to the mainland and especially to the city of Alexandroupoli. The island is only one hour away from the mainland by conventional boat. As a result the permanent population of the island increases in weekends and holidays leading to high energy and carbon footprint.

Furthermore, the permanent population of the island is expected to rise by 10% in 2020, resulting to increasing energy demand. According to the business as usual scenario the CO<sub>2</sub> emissions for the island of Samothrace are expected to increase by 42% until 2020 in comparison to 2005 levels.

The island, being in a close distance to the mainland, is electrically interconnected to the grid importing all the electricity through a submarine cable. Also, large amounts of fossil fuels are imported to the island through boat transfers to cover mainly the demand of the transport and heating sectors. In this way the island relies absolutely to energy imports.

In this sense, the Municipality of Samothrace aims to reduce the dependence of the island from energy imports by promoting the local energy production through small and medium scale RES installations with the expectation to cover 31% of the island's primary energy demand in 2020. In addition to that in order to increase the energy security of the island and reduce the per capita cost of energy and energy footprint demand side management actions will be promote and implemented by the municipality setting an example of effective energy saving and increased energy efficiency.

### 2.2. Objectives and targets

In December 2008 the EU adopted an integrated energy and climate change policy, including ambitious targets<sup>1</sup> for 2020. It hopes to set Europe on the right track - towards a sustainable future with a low-carbon, energy-efficient economy by:

- cutting greenhouse gases by 20% (30% if international agreement is reached)
- reducing energy consumption by 20% through increased energy efficiency
- meeting 20% of our energy needs from renewable sources.

Greece as an EU Member State must comply with the EU policy. The targets on national level are translated into 4% reduction of greenhouse gases according to 2005 levels and 18% penetration of renewable energy sources into the gross energy consumption

The Municipality of Samothrace by signing the Pact of Islands and developing a concrete ISEAP commits to take actions on local level towards sustainability.

---

<sup>1</sup> The targets refer to accumulated result among the whole of EU. However, the targets differ among the Member States.

The objectives set for 2020 focus on:

- a. Increasing energy supply security
- b. Reducing dependence on energy imports
- c. Reducing the island's energy and CO<sub>2</sub> emissions footprint

The targets set for 2020 focus on:

- a. Reducing by 40% the primary energy demand in comparison to the BAU scenario
- b. Reducing by 49% the CO<sub>2</sub> emissions in comparison to the BAU scenario
- c. Reducing by 7,2% the CO<sub>2</sub> emissions in comparison to 2005 levels, going beyond the national targets and reaching the average target for the whole EU
- d. Meeting the 27% of the primary energy demand by renewable energy sources
- e. Meeting the 21% of the electricity demand by the use of local renewable energy sources

## 2.3. Strategic guidelines

The ISEAP strategic guidelines to achieve the objectives and targets set by the Municipality of Samothrace can be summarized in the following five (5) points:

- 1. Take advantage of the local renewable energy sources for electricity and heat production
- 2. Substitute imported fossil fuels with electricity to be produced locally from RES installations
- 3. Implement actions towards sustainability by the Municipality to set an example for the rest of the island
- 4. Increase energy efficiency and responsible energy saving behaviours from the end users to reduce the energy imports

Involve the visitors of the island to the realization of the ISEAP

## 3. ENERGY BALANCE AND EMISSION INVENTORY

### 3.1. Baseline situation

The year 2005 is chosen as the baseline year. In order to carry on with the energy modelling of the Business As Usual (BAU) and ISEAP scenarios a detailed, accurate and concrete description of the baseline situation is needed.

A bottom-up calculation approach was adopted making use of the in-house modelling tools to calculate the energy profile of the island. Several input data were employed either as a direct information of energy amounts (i.e. final energy demand of the sectors solely related to the municipality, fuel mix for the electricity production, etc.) or indirect statistical and general information supplied to the modelling tools (i.e. energy demand profile of different consumers, typical efficiency of technologies in use, etc.). For this purpose several questionnaires and energy audits were circulated to the different demand and production sectors with the active participation of the local authorities and dedicated working groups. Especially, it should be pointed out that information related to the energy behaviour and demand profile of the residential sector was gathered through an extensive collaboration with the local schools. The students circulated energy audits to their parents' and neighbouring houses collecting valuable information for the ISEAP and becoming active participants to the ISEAP development. Climate change, renewable energy sources, energy efficiency and energy saving were some of the subjects that the students got affiliated through this process.

Energy data related solely to the municipality (municipal buildings, public lighting, municipal equipment and facilities, etc.) were gathered in a consistent way creating an energy data base for the past years, starting from 2005, supplied from the energy bills stored in the municipal records. The foundations for the monitoring of the municipal energy profile were set providing to the municipality a substantial long-term insight to their energy demands and costs.

The information gathered in present time were projected back to 2005 taking into consideration the recorded demand growth rates of the last years. However, in many cases energy data depicting the values of 2005 were directly available.

#### 3.1.1. Final energy demand

##### Residential sector

In the following table the results of the energy modelling of the base year are presented for the residential sector. The energy carriers most in use in the domestic sector are electricity and diesel with the latter one mainly covering the space heating needs of the houses. LPG is mainly used for heating and cooking purposes, similarly with biomass which translated to simple firewood burnt in most cases in open fireplaces. Finally solar


energy is solely attributed to water heating demand through the solar water heater appliances.

	Electricity	Diesel	LPG	Solar	Biomass	Total
<b>Residential</b>	<b>4.921</b>	<b>9.312</b>	<b>1.035</b>	<b>758</b>	<b>2.419</b>	<b>18.444</b>
Hot water	899	733	0	758	228	<b>2.618</b>
Heating and cooling	1.365	8.579	725	0	1.933	<b>12.602</b>
Lighting	738	0	0	0	0	<b>738</b>
Cooking	516	0	310	0	258	<b>1.083</b>
Refrigerator and freezers	724	0	0	0	0	<b>724</b>
Laundry machines and dryers	44	0	0	0	0	<b>44</b>
Dish washing	62	0	0	0	0	<b>62</b>
Tv sets	57	0	0	0	0	<b>57</b>
Other electric appliances	516	0	0	0	0	<b>516</b>

**Table 3.1. Final energy demand of the residential sector in base year 2005 [MWh]**

In the following figures the distribution of final energy demand of the residential sector among the different sub-sectors (see Figure 3.1) and energy carriers (see Figure 3.2) is presented. The heating and cooling sub-sector is by far the most energy demanding area followed by the hot water demand. Also the energy demand distribution to the different energy carriers of the main sub-sectors is depicted in Figure 3.3 and Figure 3.4 and Figure 3.5.

### Residential sector - Total energy for final use



**Figure 3.1. Distribution of residential final energy demand among the different sub-sectors**




Figure 3.2. Distribution of the residential sector FED to the different energy carriers




Figure 3.3. Distribution of hot water energy demand to the different energy carriers




Figure 3.4. Distribution of heating and cooling energy demand to the different energy carriers




Figure 3.5. Distribution of cooking energy demand to the different energy carriers

### Primary sector

In the following table the results of the energy modelling of the base year are presented for the primary sector corresponding mainly to the energy demand of the agricultural and partially fishing activities. The energy carriers most in use are electricity, diesel and biomass covering the energy needs for irrigation, heating and cooling, lighting and operation of general instruments and equipment.

In the figure, following the table, a graphical analysis of the primary sector energy demand distribution to respective energy carriers is shown.

	Electricity	Diesel	Biomass	Total
<b>Primary sector</b>	<b>768</b>	<b>139</b>	<b>159</b>	<b>1.066</b>
Agriculture, forestry and fishing	768	139	159	<b>1.066</b>

Table 3.2. Final energy demand of the primary sector in base year 2005 [MWh]




Figure 3.6. Distribution of the primary sector FED to the different energy carriers

### Secondary sector

In the following table the results of the energy modelling of the base year are presented for the secondary sector. The energy carriers most in use are electricity, diesel and fueloil.

The manufacturing and construction sub-sectors are the most energy demanding areas of the secondary sector, in Figure 3.9 and Figure 3.10, the energy demand distribution to the respective energy carriers is shown.

	Electricity	Fueloil	Diesel	LPG	Solar	Biomass	Total
<b>Secondary sector</b>	<b>420</b>	<b>143</b>	<b>150</b>	<b>10</b>	<b>6</b>	<b>15</b>	<b>744</b>
Manufacturing	128	72	75	10	6	15	<b>306</b>
Water supply, sewerage, waste management and remediation activities	164	0	0	0	0	0	<b>164</b>
Construction	128	72	75	0	0	0	<b>274</b>

Table 3.3. Final energy demand of the secondary sector in base year 2005 [MWh]



### Secondary sector




Figure 3.7. Distribution of the secondary sector FED to the different sub-sectors

### Secondary sector




Figure 3.8. Distribution of the secondary sector FED to the different energy carriers

### Manufacturing




Figure 3.9. Distribution of manufacturing sector energy demand to the different energy carriers

### Construction




Figure 3.10. Distribution of construction sector energy demand to the different energy carriers

### Tertiary sector

In the following table the results of the energy modelling of the base year are presented for the tertiary sector. The energy carriers most in use in the tertiary sector are by far electricity followed by diesel. LPG and biomass (in the form of charcoal) are mainly used in restaurants for cooking purposes, whereas solar energy is solely attributed to water heating demand mainly in hotels.

In the following figures the distribution of final energy demand of the tertiary sector among the different sub-sectors (see Figure 3.11) and the energy demand distribution to the different energy carriers of the main sub-sectors (see Figure 3.13 – Figure 3.17) are depicted.

	Electricity	Diesel	LPG	Solar	Biomass	Total
<b>Tertiary sector</b>	<b>6.005</b>	<b>3.312</b>	<b>92</b>	<b>321</b>	<b>51</b>	<b>9.781</b>
Wholesale and retail trade; repair of motor vehicles and motorcycles	1.532	1.096	0	78	0	<b>2.707</b>
Accommodation and food service activities	3.263	1.590	92	225	51	<b>5.220</b>
General public administration and social security	402	116	0	0	0	<b>517</b>
Education	231	230	0	0	0	<b>461</b>
Human health and social work activities	17	17	0	0	0	<b>34</b>
Other services	368	263	0	19	0	<b>650</b>
Public lighting	192	0	0	0	0	<b>192</b>

Table 3.4. Final energy demand of the tertiary sector in base year 2005 [MWh]




Figure 3.11. Distribution of the tertiary sector FED to the different sub-sectors

### Tertiary sector




Figure 3.12. Distribution of the tertiary sector FED to the different energy carriers

### Wholesale and retail trade




Figure 3.13. Distribution of wholesale and retail trade sector energy demand to the different energy carriers

### Accommodation and food service activities




Figure 3.14. Distribution of accommodation and food service activities sector energy demand to the different energy carriers

### General public administration and social security




Figure 3.15. Distribution of general public administration and social security sector energy demand to the different energy carriers

### Human health and social work activities




Figure 3.16. Distribution of human health and social work activities sector energy demand to the different energy carriers

### Education




Figure 3.17. Distribution of education sector energy demand to the different energy carriers

### Transports sector

In the following table the results of the energy modelling of the base year are presented for the transports sector.

In the following figures the distribution of final energy demand of the transports sector among the different sub-sectors (see Figure 3.18) and the energy demand distribution to the different energy carriers of (see Figure 3.19) are depicted.

	Diesel	Gasoline	Total
<b>Transports (vehicles)</b>	<b>1.233</b>	<b>1.787</b>	<b>3.020</b>
Passenger transport by road (public transport, taxi, tourism, transfers, etc.)	9	2	11
Freight transport by road and removal services	862	199	1.060
Other fleet for public and private services	5	64	69
Private transports	357	1.522	1.879

Table 3.5. Final energy demand of the transports sector in base year 2005 [MWh]

### Transports (vehicles)




Figure 3.18. Distribution of the transports sector FED to the different sub-sectors

### Transports (vehicles)




Figure 3.19. Distribution of the tertiary sector FED to the different energy carriers

### Overall results

In the following table the overall results of the energy modelling of the base year are presented for the total final energy demand.

In the following figures the distribution of total final energy demand among the different sectors (see Figure 3.20) and the energy demand distribution to the different energy carriers of (see Figure 3.21) are depicted.

Energy carrier		Residential [MWh]	Primary sector [MWh]	Secondary sector [MWh]	Tertiary sector [MWh]	Transports [MWh]	TOTAL [MWh]
Centralized Energy services	Electricity	4.921	768	420	6.005		12.113
Fossil fuels	Fueloil			143			143
	Diesel	9.312	139	150	3.312	1.233	14.146
	Gasoline					1.787	1.787
	LPG	1.035		10	92		1.137
Renewable Energy sources	Solar	758		6	321		1.085
	Biomass	2.419	159	15	51		2.644
<b>TOTAL</b>		<b>18.444</b>	<b>1.066</b>	<b>744</b>	<b>9.781</b>	<b>3.020</b>	<b>33.055</b>

Table 3.6. Final energy demand per sector and energy carrier




Figure 3.20. Distribution of Final Energy Demand to the different sectors




Figure 3.21. Distribution of Final Energy Demand to the different energy carriers

### 3.1.2. Energy conversion

Samothrace as an electrically interconnected island to the mainland grid receives all the electricity supply through imports.

There are no heat or cold distribution networks on the island.

### 3.1.3. Primary energy demand

Because of Samothrace's electrical interconnection to the mainland grid half of the primary energy demand is reflected to imported electricity. A fraction of 11% of the

primary energy demand is covered by renewable energy sources and the remaining amounts are met through fossil fuel local consumption, with diesel being the dominant fossil fuel mainly because of the heating energy demand.

PRIMARY ENERGY DEMAND					
Fossil fuels [MWh]					TOTAL
Fueloil	Diesel	Gasoline	LPG	Sub-total	33.560
143	14.146	1.787	1.137	17.213	
Renewable energy sources [MWh]					
Hydro	Wind	Solar	Biomass	Sub-total	
0	0	1.085	2.644	3.729	
Electricity [MWh]					
Imported electricity (cable)				Sub-total	
12.618				12.618	

Table 3.7. Primary energy demand per energy carrier [MWh]




Figure 3.22. Primary energy demand distribution to the different energy carriers

### 3.1.4. Emissions of carbon dioxide

In the following tables and figures the emitted CO<sub>2</sub> from the locally consumed fossil fuels and the electricity imported are presented. For the latter amounts, the national CO<sub>2</sub> factor for electricity production is employed whereas generally for CO<sub>2</sub> emissions generated by fossil fuels consumption the proposed CO<sub>2</sub> factors from IPCC are used.



## CO2 emissions from final use




Figure 3.23. Distribution of overall CO2 emissions from final use to the different sectors

### Residential sector

	Electricity	Diesel	LPG	Total
<b>Residential sector</b>	<b>5.890</b>	<b>2.486</b>	<b>248</b>	<b>8.624</b>
Hot water	1.076	196	0	<b>1.272</b>
Heating and cooling	1.633	2.291	174	<b>4.098</b>
Lighting	884	0	0	<b>884</b>
Cooking	617	0	74	<b>692</b>
Refrigerator and freezers	867	0	0	<b>867</b>
Laundry machines and dryers	53	0	0	<b>53</b>
Dish washing	74	0	0	<b>74</b>
Tv sets	69	0	0	<b>69</b>
Other electric appliances	617	0	0	<b>617</b>

Table 3.8. CO2 emissions of the residential sector per sub-sector and energy carrier [tons]

### CO2 emissions - Residential sector




Figure 3.24. CO2 emissions from final use in the residential sector

### Primary sector

	Electricity	Diesel	Total
Primary sector	919	37	956
Agriculture, forestry and fishing	919	37	956

Table 3.9. CO2 emissions of the primary sector per sub-sector and energy carrier [tons]

### Secondary sector

	Electricity	Fueloil	Diesel	LPG	Total
Secondary sector	503	40	40	2	585
Manufacturing	153	20	20	2	196
Water supply, sewerage, waste management and remediation activities	196	0	0	0	196
Construction	153	20	20	0	193

Table 3.10. CO2 emissions of the secondary sector per sub-sector and energy carrier [tons]

### CO2 emissions - Secondary sector




Figure 3.25. CO2 emissions from final use in the secondary sector

### Tertiary sector

	Electricity	Diesel	LPG	Total
<b>Tertiary sector</b>	<b>7.187</b>	<b>884</b>	<b>22</b>	<b>8.093</b>
Wholesale and retail trade; repair of motor vehicles and motorcycles	1.834	293	0	<b>2.127</b>
Accommodation and food service activities	3.905	424	22	<b>4.351</b>
General public administration and social security	481	31	0	<b>512</b>
Education	0	0	0	<b>0</b>
Human health and social work activities	276	61	0	<b>338</b>
Other services	20	5	0	<b>25</b>
Public lighting	440	70	0	<b>510</b>

Table 3.11. CO2 emissions of the tertiary sector per sub-sector and energy carrier [tons]

### CO2 emissions - Tertiary sector




Figure 3.26. CO2 emissions from final use in the tertiary sector

### Transports sector

	Diesel	Gasoline	Total
<b>Transports (vehicles)</b>	<b>329</b>	<b>445</b>	<b>774</b>
Passenger transport by road (public transport, taxi, tourism, transfers, etc.)	2	1	3
Freight transport by road and removal services	230	49	280
Other fleet for public and private services	1	16	17
Private transports	95	379	474

Table 3.12. CO2 emissions of the transports sector per sub-sector and energy carrier [tons]

### CO2 emissions - Transports (vehicles)




Figure 3.27. CO2 emissions from final use in the transports sector

## 3.2. Projections to 2020 – Business as usual scenario

The Business As Usual (BAU) scenario results from a combination of existing data for the period 2005 – 2011 and simulated growth rates for the period 2012 – 2020.

The estimation of growth rates is based on national statistics and on local special characteristics in relation to estimated economic growth of each activity sector.

However, it should be noted that because of the uncertain status of the national economy the estimations are susceptible to change during the ISEAP implementation period; in this case the projections will be re-evaluated and updated accordingly.

In the following figures the development of the primary energy demand and the CO<sub>2</sub> emissions from final use from the base year 2005 till the target year 2020 are presented, showing an expected increase of 40% and 42% respectively.




Figure 3.28. BAU Scenario – Growing trend of Primary Energy Demand




Figure 3.29. BAU Scenario – Growing trend of CO<sub>2</sub> emissions from final use

### 3.2.1. Final energy demand

The evolution of the final energy demand according to the BAU scenario is presented in the following figures. The projections are shown per energy source (imported electricity, fossil fuels and renewable energy sources) and activity sector.

An almost linear increase (see Figure 3.30) in the use of the available energy sources is expected, while a growth trend decrease is depicted for the period 2008 – 2011 mainly resulting from the national economic crisis.




Figure 3.30. BAU Scenario – Final Energy Demand per energy source




Figure 3.31. BAU Scenario – Final Energy Demand per activity sector



The final energy demand distribution per energy carrier and activity sector as expected for the year 2020 is presented in the following figures. Electricity (38%) and diesel (43%) will account for more than 80% of the total demand with the residential (57%) and tertiary (31%) sectors being the largest consumers.

In Table 3.13 a summary of the final energy demand distribution per energy carrier and activity sector for the target year 2020 is presented.




Figure 3.32. BAU Scenario – Final Energy Demand per energy carrier in 2020




Figure 3.33. BAU Scenario – Final Energy Demand per sector in 2020

Energy carrier		Residential [MWh]	Primary sector [MWh]	Secondary sector [MWh]	Tertiary sector [MWh]	Transports [MWh]	TOTAL [MWh]
Centralized Energy services	Electricity	6.964	1.140	555	8.741		17.400
	Fueloil			189			189
Fossil fuels	Diesel	13.179	206	198	4.827	1.359	19.770
	Gasoline					1.969	1.969
	LPG	1.464		13	135		1.612
Renewable Energy sources	Solar	1.073		7	470		1.551
	Biomass	3.423	236	20	74		3.753
TOTAL		26.104	1.582	983	14.247	3.328	46.245

Table 3.13. BAU Scenario final energy demand per sector and energy carrier in 2020

### 3.2.2. Energy conversion

Samothrace as an electrically interconnected island with the mainland grid receives all the needed electricity through a cable. There are no district heating or cooling installations. The estimated projection of imported electricity is shown in the following figure.




Figure 3.34. BAU Scenario – Secondary Energy Conversion – Imported electricity projection

### 3.2.3. Primary energy demand

In the following figures the BAU scenario projection of the primary energy demand and the respective shares per energy carrier in the year 2020 are presented.




Figure 3.35. BAU Scenario – Primary Energy Demand projections per energy carrier




Figure 3.36. BAU Scenario – Primary Energy Demand per energy carrier in 2020

### 3.2.4. Emissions of carbon dioxide

In the following figures and tables the BAU scenario CO<sub>2</sub> emissions from final use per energy carrier and activity sector are presented.

#### BAU Scenario - CO<sub>2</sub> emissions from final use




Figure 3.37. BAU Scenario – CO<sub>2</sub> emissions from final use projections per energy carrier




Figure 3.38. BAU Scenario – CO<sub>2</sub> emissions from final use per energy carrier in 2020

### BAU Scenario - CO2 emissions from final use




Figure 3.39. BAU Scenario – CO<sub>2</sub> emissions from final use projections per sector

### 3.3. Projections to 2020 – Action plan scenario

The ISEAP (Island Sustainable Energy Action Plan) scenario reflects the energy profile of the island to be achieved through the implementation of the planned actions in the period up to 2020. Several actions focusing on different activity sectors of the island contribute to the attainment of the ambitious goals of the local authority.

Specifically the local authority through the promotion and implementation of the ISEAP expects to reduce the primary energy demand by 40% and the CO<sub>2</sub> by at least 49% in 2020 in comparison to the BAU scenario. In comparison to the baseline year (2005) values, the respective magnitudes will remain stable in the first case and will be decreased by 7,2%, as presented in the following figures going beyond the EU goals, which for Greece is set to 4% reduction of GHG emissions by 2020 in comparison to 2005.




Figure 3.40. ISEAP Scenario – Growing trend of Primary Energy Demand




Figure 3.41. ISEAP Scenario – Growing trend of CO<sub>2</sub> emissions from final use

### 3.3.1. Final energy demand

The evolution of the final energy demand according to the ISEAP scenario is presented in the following figures. The projections are shown per energy source (imported electricity, fossil fuels and renewable energy sources) and activity sector.

The ISEAP scenario aims to shift the linearly increasing of the BAU scenario to linearly decreasing trend of the final energy demand from 2012 and on when the ISEAP implementation has initiated (see Figure 3.42). The highest reduction between 2011 and 2020 is expected in the residential (9%), the tertiary (13,5%) and transports (32,7%) sectors (see Figure 3.43).




Figure 3.42. ISEAP Scenario – Final Energy Demand per energy source




Figure 3.43. ISEAP Scenario – Final Energy Demand per activity sector

The final energy demand distribution per energy carrier and activity sector in the target year 2020 is presented in the following figures where electricity will cover a greater part (49%) of the demand in comparison to the BAU scenario (38%) replacing a significant part of the diesel consumption (28% from 43% in BAU scenario) mainly because of introducing efficient heat pumps to cover the space heating demand will traditionally is produced from stand-alone oil burners. The additional electricity demand will be covered by introducing locally produced electricity from wind and solar power stations. Electricity and diesel remains the dominant energy carriers accounting for 77% of the total demand. The residential and tertiary sectors remain the largest consumers.

In

Energy carrier		Residential [MWh]	Primary sector [MWh]	Secondary sector [MWh]	Tertiary sector [MWh]	Transports [MWh]	TOTAL [MWh]
Centralized Energy services	Electricity	7.812	892	434	6.855	282	<b>16.275</b>
Fossil fuels	Fueloil			148			<b>148</b>
	Diesel	5.697	161	155	2.528	782	<b>9.323</b>
	Gasoline					993	<b>993</b>
	LPG	1.128		10	88		<b>1.227</b>
Renewable Energy sources	Solar	1.894		6	593		<b>2.493</b>
	Biomass	2.695	184	16	49		<b>2.944</b>
<b>TOTAL</b>		<b>19.226</b>	<b>1.238</b>	<b>769</b>	<b>10.113</b>	<b>2.058</b>	<b>33.403</b>

Table 3.14 is presented a summary of the expected final energy demand distribution per energy carrier and activity sector for the target year 2020 after the implementation of the ISEAP.






Figure 3.44. ISEAP Scenario – Final Energy Demand per energy carrier in 2020




Figure 3.45. ISEAP Scenario – Final Energy Demand per sector in 2020

Energy carrier		Residential [MWh]	Primary sector [MWh]	Secondary sector [MWh]	Tertiary sector [MWh]	Transports [MWh]	TOTAL [MWh]
Centralized Energy services	Electricity	7.812	892	434	6.855	282	16.275
	Fueloil			148			148
Fossil fuels	Diesel	5.697	161	155	2.528	782	9.323
	Gasoline					993	993
	LPG	1.128		10	88		1.227
Renewable Energy sources	Solar	1.894		6	593		2.493
	Biomass	2.695	184	16	49		2.944
TOTAL		19.226	1.238	769	10.113	2.058	33.403

Table 3.14. ISEAP Scenario final energy demand per sector and energy carrier in 2020

### 3.3.2. Energy conversion

The introduction of locally produced electricity is foreseen in the ISEAP scenario, with the first PV installations starting in 2013 and significant introduction of wind energy in 2015. By 2020 the island is expected to cover almost 20% of the electricity demand from locally installed PV and wind power stations.




Figure 3.46. ISEAP Scenario – Growth trend of Secondary Energy Conversion




Figure 3.47. ISEAP Scenario – Secondary Energy Conversion per energy carrier in 2020

### 3.3.3. Primary energy demand

In the following figures the ISEAP scenario projection of the primary energy demand and the respective shares per energy carrier in the year 2020 are presented.

The imported electricity is slightly decreased from 49% in the BAU scenario to 48% and the introduction of wind and solar energy as locally exploited energy sources results to the significant decrease in the use of fossil fuels on the island.

### ISEAP Scenario - Primary Energy Demand




Figure 3.48. ISEAP Scenario – Growth trend of Primary Energy Demand per energy carrier




Figure 3.49. ISEAP Scenario – Primary Energy Demand per energy carrier in 2020

### 3.3.4. Emissions of carbon dioxide

In the following figures and tables the ISEAP scenario CO<sub>2</sub> emissions from final use per energy carrier and activity sector are presented. The share of CO<sub>2</sub> emissions resulting from the use of electricity (89%) are increased in comparison to the BAU scenario (84%) mainly because of the reduced consumption of diesel (8% share from 12% in the BAU scenario).




Figure 3.50. ISEAP Scenario – Growth trend of CO<sub>2</sub> emissions from final use per energy carrier




Figure 3.51. ISEAP Scenario – CO<sub>2</sub> emissions from final use per energy carrier in 2020




Figure 3.52. ISEAP Scenario – CO<sub>2</sub> emissions from final use projections per sector

The contribution of each activity sector in the reduction of CO<sub>2</sub> emissions is depicted in the following figures (Figure 3.53 to Figure 3.58) with the residential and tertiary sectors from the end use side along with the secondary energy conversion sector (i.e. the electricity production from RES units) are the most significant ones.




Figure 3.53. Comparison of CO<sub>2</sub> emissions from final use between BAU and ISEAP Scenarios in the residential sector




Figure 3.54. Comparison of CO<sub>2</sub> emissions from final use between BAU and ISEAP Scenarios in the primary sector




Figure 3.55. Comparison of CO<sub>2</sub> emissions from final use between BAU and ISEAP Scenarios in the secondary sector




Figure 3.56. Comparison of CO<sub>2</sub> emissions from final use between BAU and ISEAP Scenarios in the tertiary sector




Figure 3.57. Comparison of CO<sub>2</sub> emissions from final use between BAU and ISEAP Scenarios in the transports sector




Figure 3.58. Comparison of CO<sub>2</sub> emissions from final use between BAU and ISEAP Scenarios in the secondary energy conversion sector

The following table summarizes the contribution of each sector in the reduction of CO<sub>2</sub> in comparison to the BAU scenario in the target year 2020.

Action Sectors	CO <sub>2</sub> emissions reduction
Residential	5,3%
Primary	1,7%
Secondary	0,9%
Tertiary	15,8%
Transports	0,2%
Electricity production	25,3%
<b>TOTAL</b>	<b>49,5%</b>

Table 3.15. Contribution in the CO<sub>2</sub> emissions reduction of each sector in comparison to the BAU scenario in 2020



## 4. ACTIONS

The ISEAP of Samothrace is developed in order to ensure the active contribution of the municipality, the citizens and stakeholders in reaching the national and European targets for greenhouse gases reduction until 2020. The long-term vision of the municipality of Samothrace is to succeed into restricting the rapidly increasing CO<sub>2</sub> emissions of the island by introducing the maximum amount of renewable energy sources on the energy production and demand side and by promoting the adoption of energy saving and efficiency in all activity sectors.

A wide range of actions is included in the action plan dealing with all the major activity sectors of the island. The selection of actions was carried out after considering several alternative scenarios with the scope to maximize the emissions reduction target with the minimum cost in the given time framework considering also the lately formulated national and local economic conditions.

For the public related sectors the municipality will function as an example for the rest of the island implementing energy saving and efficiency measures. For the rest of the activity sectors the municipality will promote respective horizontal actions while for the electricity production the aim is to maximize the local electricity production from RES in order to minimize the electricity imports to the mainland.

In the following table the expected results through the implementation of the ISEAP are summarized in terms of energy savings, renewable energy production and reduction of CO<sub>2</sub> emissions. The demand side management actions are contributing equally with actions for secondary energy production from RES in reaching the targets set for the island's CO<sub>2</sub> emissions. More details for the specific actions in each sector are presented in the following chapters.

SECTOR	ENERGY SAVINGS TARGET IN 2020 [MWh/year]	RENEWABLE ENERGY PRODUCTION TARGET IN 2020 [MWh/year]	CO <sub>2</sub> REDUCTION TARGET IN 2020 [ton/year]
RESIDENTIAL	756	10	113
PRIMARY	41	-	36
SECONDARY	25	-	20
TERTIARY	480	11	334
TRANSPORTS	138	-	4
SECONDARY ENERGY PRODUCTION	-	414	534
<b>TOTAL</b>	<b>1.440</b>	<b>435</b>	<b>1.041</b>

Table 4.1. ISEAP expected results in 2020 for every activity sector

## 4.1. Residential

In the following tables details of the actions planned for the residential sector are presented. The main focus is given on the promotion of energy saving and energy efficiency in everyday energy behaviour of the citizens but also in the use of renewable energy sources for the production of space and water heating. Also in some cases the substitution of fossil fuels consumption by electricity is promoted considering the fact that the local production of electricity from RES will be also promoted through the ISEAP.

SECTORS AND FIELDS OF ACTION	ACTIONS	RESPONSIBLE FOR IMPLEMENTATION	EXPECTED ENERGY SAVINGS [MWh/year]	EXPECTED RENEWABLE ENERGY PRODUCTION [MWh/year]	EXPECTED CO2 REDUCTION [ton/year]
<b>RESIDENTIAL SECTOR</b>					
Hot water	Reduce the annual hot water energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Samothrace	9		5
	Increase to 50% the total hot water energy demand supplied from solar thermal by 2020	Municipality of Samothrace	4	95	72
Heating and cooling	Reduce the annual space heating energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Samothrace	44		14
	Increase by 20% the total space heating energy demand supplied from heat pumps by 2020	Municipality of Samothrace	159		-277
	Reduce the annual space cooling energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Samothrace	44		14
	Increase by 30% the energy efficiency of air-conditioning systems by 2020 through the promotion of air-conditioning with inverter	Municipality of Samothrace	401		132
Lighting	Reduce the annual lighting energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Samothrace	3		3
	Increase by 20% the energy efficiency of lighting systems by 2020 through the promotion of energy efficient lamps	Municipality of Samothrace	38		44
Cooking	Reduce the annual cooking energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Samothrace	4		2

	Increase by 20% the energy efficiency of cooking appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Samothrace	36		23
Refrigerator and freezers	Reduce the annual electrical appliances energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Samothrace	3		3
	Increase by 20% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Samothrace	25		29
Laundry machines and dryers	Reduce the annual electrical appliances energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Samothrace	0,2		0,2
	Increase by 20% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Samothrace	2		2
Dish washing	Reduce the annual electrical appliances energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Samothrace	0,2		0,3
	Increase by 20% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Samothrace	2		2
TV sets	Reduce the annual electrical appliances energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Samothrace	0,2		0,2
	Increase by 20% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Samothrace	2		2
Other electric appliances	Reduce the annual electrical appliances energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Samothrace	2		2
	Increase by 20% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Samothrace	18		20

**Table 4.2. Details for the actions planned in the residential sector**

ENERGY SAVINGS TARGET IN 2020 [MWh/year]	RENEWABLE ENERGY PRODUCTION TARGET IN 2020 [MWh/year]	CO2 REDUCTION TARGET IN 2020 [ton/year]
<b>RESIDENTIAL SECTOR</b>		
756	10	113

Table 4.3. Summary table of the actions planned in the residential sector

## 4.2. Primary sector

In the following tables details of the actions planned for the primary sector are presented. The actions focus on the agricultural sector aiming to the reduction of energy consumption by the professionals and to the energy efficiency upgrade of irrigation systems.

SECTORS AND FIELDS OF ACTION	ACTIONS	RESPONSIBLE FOR IMPLEMENTATION	EXPECTED ENERGY SAVINGS [MWh/year]	EXPECTED RENEWABLE ENERGY PRODUCTION [MWh/year]	EXPECTED CO2 REDUCTION [ton/year]
<b>PRIMARY SECTOR</b>					
Agriculture, forestry and fishing	Reduce the annual agricultural, forestry and fishing energy demand growth rate by 10% by promoting every day energy saving measures from the professionals	Municipality of Samothrace - Local association	4		4
	Increase by 20% the energy efficiency of agricultural irrigation systems by 2020 through the promotion of old irrigation systems substitution with new more efficient ones	Municipality of Samothrace - Local association	38		33

Table 4.4. Details for the actions planned in the primary sector

ENERGY SAVINGS TARGET IN 2020 [MWh/year]	RENEWABLE ENERGY PRODUCTION TARGET IN 2020 [MWh/year]	CO2 REDUCTION TARGET IN 2020 [ton/year]
<b>PRIMARY SECTOR</b>		
41		36

Table 4.5. Summary table of the actions planned in the primary sector

### 4.3. Secondary sector

In the following tables details of the actions planned for the secondary sector are presented. The main focus is given on the collaboration among the municipality and local associations to commit the local companies into setting initial mainstream targets for energy saving and increasing energy efficiency of their equipment and services. Concerning the water supply, sewerage and waste management activities supplied by the municipality actions concerning the energy consumption of the systems are planned and will be carried out by the municipality's own personnel and funding.

SECTORS AND FIELDS OF ACTION	ACTIONS	RESPONSIBLE FOR IMPLEMENTATION	EXPECTED ENERGY SAVINGS [MWh/year]	EXPECTED RENEWABLE ENERGY PRODUCTION [MWh/year]	EXPECTED CO2 REDUCTION [ton/year]
<b>SECONDARY SECTOR</b>					
Manufacturing	Reduce the annual manufacturing energy demand growth rate by 10% by promoting every day energy saving measures from the professionals	Municipality of Samothrace - Local association	1		1
	Increase by 20% the energy efficiency of manufacturing technologies by 2020 through the promotion of old systems substitution with new more efficient ones	Municipality of Samothrace - Local association	9		6
Water supply, sewerage, waste management and remediation activities	Reduce the annual water supply, waste management and remediation activities energy demand growth rate by 10% by promoting every day energy saving measures from the consumers	Municipality of Samothrace	1		1
	Increase by 20% the energy efficiency of the pumping stations operating for the support of the sector by 2020 through the introduction of inverters to existing pumping stations or substitution of old stations with new efficient ones	Municipality of Samothrace	5		6
Construction	Reduce the annual construction energy demand growth rate by 10% by promoting every day energy saving measures from the professionals	Municipality of Samothrace - Local association	1		1
	Increase by 20% the energy efficiency of construction	Municipality of Samothrace - Local	8		6

	technologies by 2020 through the promotion of old systems substitution with new more efficient ones	association			
--	---	-------------	--	--	--

**Table 4.6. Details for the actions planned in the secondary sector**

ENERGY SAVINGS TARGET IN 2020 [MWh/year]	RENEWABLE ENERGY PRODUCTION TARGET IN 2020 [MWh/year]	CO2 REDUCTION TARGET IN 2020 [ton/year]
<b>SECONDARY SECTOR</b>		
25		20

**Table 4.7. Summary table of the actions planned in the secondary sector**

## 4.4. Tertiary sector

In the following tables details of the actions planned for the tertiary sector are presented. The main focus is given on the collaboration among the municipality and local business associations to commit the local companies into setting initial mainstream targets for energy saving and increasing energy efficiency of their equipment and services.

Especially for the accommodation and food services service activities, considering the importance of tourism for the island, a wide range of actions are planned in order to reduce the seasonal increased CO<sub>2</sub> emissions during the touristic periods.

For the sub-sectors managed by the municipality (general administration, education, human health activities and public lighting) the actions concerning the energy consumption of the respective buildings (ex. town hall, schools, health centre, street lighting, etc.) and systems are planned and will be carried out in most cases by the municipality's own personnel and funding.

SECTORS AND FIELDS OF ACTION	ACTIONS	RESPONSIBLE FOR IMPLEMENTATION	EXPECTED ENERGY SAVINGS [MWh/year]	EXPECTED RENEWABLE ENERGY PRODUCTION [MWh/year]	EXPECTED CO2 REDUCTION [ton/year]
<b>TERTIARY SECTOR</b>					
Wholesale and retail trade; repair of motor vehicles and	Reduce the annual wholesale and retail trade energy demand growth rate by 10% by promoting every day energy saving measures from the professionals	Municipality of Samothrace - Local association	9		7

motorcycles	Energy efficiency measures - Increase by 30% the energy efficiency of air-conditioning systems by 2020 through the promotion of air-conditioning with inverter - Increase by 20% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Samothrace - Local association	72		56
	Increase by 20% the total space heating energy demand supplied from heat pumps by 2020	Municipality of Samothrace - Local association	8		-10
Accommodation and food service activities	Reduce the annual accommodation service activities energy demand growth rate by 10% by promoting every day energy saving measures from the owners, personnel and the visitors	Municipality of Samothrace - Local association	18		15
	Energy efficiency measures - Increase by 30% the energy efficiency of air-conditioning systems by 2020 through the promotion of air-conditioning with inverter and door deactivating sensors - Increase by 30% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones and by introducing the key card electricity deactivating system	Municipality of Samothrace - Local association	144		119
	Increase by 20% the total space heating energy demand supplied from heat pumps by 2020 - Increase by 20% the total hot water energy demand supplied from solar thermal by 2020	Municipality of Samothrace - Local association	2	20	10
	Reduce the food service activities energy demand growth rate by 10% by promoting every day energy saving measures from the owners and personnel	Municipality of Samothrace - Local association	18		15

	<p>Energy efficiency measures</p> <ul style="list-style-type: none"> <li>- Increase by 30% the energy efficiency of air-conditioning systems by 2020 through the promotion of air-conditioning with inverter</li> <li>- Increase by 30% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones and by introducing motion sensors for the toilet lighting</li> <li>- Increase by 30% the energy efficiency of cooking appliances by 2020 through the promotion of old devices substitution with more efficient ones</li> </ul>	Municipality of Samothrace - Local association	144		119
	Increase by 20% the total space heating demand supplied from heat pumps by 2020 - Increase by 20% the total hot water energy demand supplied from solar thermal by 2020	Municipality of Samothrace - Local association	11	9	-4
General public administration and social security	Reduce the annual general public administration and social security energy demand growth rate by 10% by promoting every day energy saving measures from the employees	Municipality of Samothrace	2		2
	<p>Energy efficiency measures</p> <ul style="list-style-type: none"> <li>- Increase by 30% the energy efficiency of air-conditioning systems by 2020 through the introduction of air-conditioning with inverter</li> <li>- Increase by 30% the energy efficiency of electrical appliances by 2020 through the substitution of old devices with more efficient ones (green procurement) and by introducing motion sensors for the toilet lighting</li> <li>- Increase by 30% the energy efficiency of heating systems by 2020 through the replacement of old window and door frames of public buildings with more efficient ones</li> </ul>	Municipality of Samothrace	19		18
	Increase to 30% the total space heating demand supplied from heat pumps by 2020	Municipality of Samothrace	3		-5
Education	Reduce the annual education energy demand growth rate by 10% by promoting every day energy saving measures from the professors and students	Municipality of Samothrace			



	Energy efficiency measures - Increase by 30% the energy efficiency of electrical appliances by 2020 through the substitution of old devices with more efficient ones (green procurement) and by introducing motion sensors for the toilet lighting - Increase by 30% the energy efficiency of heating systems by 2020 through the replacement of old window and door frames of public buildings with more efficient ones	Municipality of Samothrace - School boards	2		1
	Increase to 30% the total space heating energy demand supplied from heat pumps by 2020	Municipality of Samothrace - School boards	17		13
	Reduce the annual human health and social work activities energy demand growth rate by 10% by promoting every day energy saving measures from the employees and visitors	Municipality of Samothrace - School boards	-12		-17
Human health and social work activities	Energy efficiency measures - Increase by 30% the energy efficiency of air-conditioning systems by 2020 through the introduction of air-conditioning with inverter - Increase by 30% the energy efficiency of electrical appliances by 2020 through the substitution of old devices with more efficient ones (green procurement) and by introducing motion sensors for the toilet lighting - Increase by 30% the energy efficiency of heating systems by 2020 through the replacement of old window and door frames of public buildings with more efficient ones	Municipality of Samothrace - Health centers - Hospital	0,2		0,1
	Increase to 30% the total space heating energy demand supplied from heat pumps by 2020 - Increase to 30% the total hot water energy demand supplied from solar thermal by 2020	Municipality of Samothrace - Health centers - Hospital	1		1
Other services	Reduce the annual other services energy demand growth rate by 10% by promoting every day energy saving measures from the professionals	Municipality of Samothrace - Health center	0,2	4	1

	Energy efficiency measures - Increase by 30% the energy efficiency of air-conditioning systems by 2020 through the promotion of air-conditioning with inverter - Increase by 20% the energy efficiency of electrical appliances by 2020 through the promotion of old devices substitution with more efficient ones	Municipality of Samothrace - Local association	2		2
	Increase by 20% the total space heating energy demand supplied from heat pumps by 2020	Municipality of Samothrace - Local association	1		1
Public lighting	Reduce the annual public lighting energy demand growth rate by 10% through the promotion of energy saving measures from the local authorities.	Municipality of Samothrace - Local association	15		-18
	Increase by 20% the energy efficiency of public lighting systems by 2020 through the spatial and technical optimization of the lighting network.	Municipality of Samothrace - PPC	1		1

**Table 4.8. Details for the actions planned in the tertiary sector**

ENERGY SAVINGS TARGET IN 2020 [MWh/year]	RENEWABLE ENERGY PRODUCTION TARGET IN 2020 [MWh/year]	CO2 REDUCTION TARGET IN 2020 [ton/year]
<b>TERTIARY SECTOR</b>		
<b>480</b>	<b>11</b>	<b>334</b>

**Table 4.9. Summary table of the actions planned in the tertiary sector**

## 4.5. Transports

In the following tables details of the actions planned for the transports sector are presented. The main focus is given on the promotion of eco-driving techniques by the respective users and the introduction of electric vehicles (EVs) in the island's fleet in collaboration to companies relevant to each sub-sector (buses, taxis, etc.) and the citizens. The increase of electricity consumption through the use of EVs leading to a reduction of fossil fuels is promoted considering the fact that the local production of electricity from RES will be also promoted through the ISEAP.

The municipality will function as an example for the rest of the transports sector being the first to implement the proposed actions to the public fleet.

SECTORS AND FIELDS OF ACTION	ACTIONS	RESPONSIBLE FOR IMPLEMENTATION	EXPECTED ENERGY SAVINGS [MWh/year]	EXPECTED RENEWABLE ENERGY PRODUCTION [MWh/year]	EXPECTED CO2 REDUCTION [ton/year]
<b>TRANSPORTS SECTOR</b>					
Passenger transport by road (public transport, taxi, tourism, transfers, etc.)	Double the annual passenger transport by road energy demand growth rate in favour of public transport by 2020 by assuring the quality offered by the public transports and promoting its use and by constructing bike roads.	Municipality of Samothrace - Samothrace KTEL	-0,1		-0,03
	Increase by 20% the energy efficiency of passenger transports by road by 2020 through the promotion of eco-driving practices.	Municipality of Samothrace - Transfer operators - Taxis	0,4		0,1
	Increase to 10% the passenger transport by road energy demand supplied from electricity by 2020 through the introduction of hybrid – electrical buses	Municipality of Samothrace	-0,01		-0,1
Other fleet for public and private services	Increase by 20% the energy efficiency of other fleet for public and private services by 2020 through the promotion of eco-driving practices.	Municipality of Samothrace	39		10
	Increase to 10% the other fleet for public and private services energy demand supplied from electricity by 2020 through the introduction – promotion of hybrid – electrical vehicles.	Municipality of Samothrace	-1		-13
Freight transport by road and removal services	Increase by 20% the energy efficiency of Freight transport by road and removal services by 2020 through the promotion of eco-driving practices.	Municipality of Samothrace	3		1
	Increase to 10% the passenger transport by road energy demand supplied from electricity by 2020 through the promotion of hybrid – electrical trucks.	Municipality of Samothrace	-0,1		-1
Private transports	Reduce to half the annual private transports energy demand growth rate by 2020 through the promotion of sustainable transports (public transports, bicycle).	Municipality of Samothrace	11		3
	Increase by 20% the energy efficiency of private transports by 2020 through the promotion of eco-driving practices.	Municipality of Samothrace	92		23

	Increase to 10% the private transports energy demand supplied from electricity by 2020 through the promotion of hybrid – electrical vehicles	Municipality of Samothrace	-2		-24
--	--	----------------------------	----	--	-----

**Table 4.10. Details for the actions planned in the transports sector**

ENERGY SAVINGS TARGET IN 2020 [MWh/year]	RENEWABLE ENERGY PRODUCTION TARGET IN 2020 [MWh/year]	CO2 REDUCTION TARGET IN 2020 [ton/year]
<b>TRANSPORTS SECTOR</b>		
<b>138</b>		<b>4</b>

**Table 4.11. Summary table of the actions planned in the transports sector**

## 4.6. Secondary energy production and energy fluxes

In the following tables details of the actions planned for the secondary energy production and energy fluxes sector are presented. The municipality will promote the installation of renewable energy sources, specifically wind and PV parks, either in small or medium scale projects reassuring the respect to the island's spatial planning and the local ecosystem. The municipality will also function as a hub of information and potential collaboration with investors interested to fund such projects.

SECTORS AND FIELDS OF ACTION	ACTIONS	RESPONSIBLE FOR IMPLEMENTATION	EXPECTED ENERGY SAVINGS [MWh/year]	EXPECTED RENEWABLE ENERGY PRODUCTION [MWh/year]	EXPECTED CO2 REDUCTION [ton/year]
<b>SECONDARY ENERGY PRODUCTION AND ENERGY FLUXES</b>					
Wind	Promotion of wind turbines installation	Municipality of Samothrace		305	395
Solar	Promotion of PV installation on the ground and on the roofs	Municipality of Samothrace		109	139

**Table 4.12. Details for the actions planned in the secondary energy production sector**

ENERGY SAVINGS TARGET IN 2020 [MWh/year]	RENEWABLE ENERGY PRODUCTION TARGET IN 2020 [MWh/year]	CO2 REDUCTION TARGET IN 2020 [ton/year]
<b>SECONDARY ENERGY PRODUCTION AND ENERGY FLUXES</b>		
	<b>414</b>	<b>534</b>

**Table 4.13. Summary table of the actions planned in the secondary energy production sector**

## **4.7. Land use planning**

On this stage of the ISEAP development there are not included actions concerning the land use planning. However, the local authorities in collaboration also with the regional authorities will proceed to concrete land use planning studies in the near future resulting to actions to be included to the ISEAP on a next planning phase.

## **4.8. Public procurement of products and services**

On this stage of the ISEAP development there are not included specific actions concerning the definition of standards for the public procurement of products and services. However, an initial phase of developing relevant actions are considered actions planned under the tertiary sector and especially the equipment for municipal buildings and public lighting focusing on the procurement of energy efficient units. On a next action planning phase it is expected these actions to be materialized also to specific procurement standards.

## **4.9. Citizen and stakeholders**

Several actions planned under the residential, primary, secondary, tertiary and transports sectors are focusing on raising awareness of the citizens and stakeholders in order to contribute in reaching the ambitious targets of the ISEAP. The maximization of their involvement in the implementation of the ISEAP and their support and commitment to it is considered a key use for a success.

## 5. ORGANIZATIONAL AND FINANCIAL MECHANISMS

The success of the ISEAP besides the good planning and estimation of resources relies heavily on the organizational and financial mechanisms to be established. Specific coordination and organizational structures will be formulated and supported by staff allocated to carry out the different phases of the ISEAP implementation and monitoring. The citizens and stakeholders through their involvement to the ISEAP processes will also constitute a valuable organizational mechanism, critical for the success of this effort. However, in order for all these efforts to be materialized concrete budget allocations should be ensured by taking advantage of all possible financing sources and instruments.

### 5.1. Coordination and organizational structures

A two level coordination and organizational structure is decided in order to ensure the efficient implementation of the ISEAP. The steering committee on the one hand will take over the coordination during the ISEAP's different phases while on the other hand the work group will mainly focus on the realization of the actions, the monitoring of the ISEAP and the possible updating of the ISEAP contents.

***Steering Committee:***

- The Mayor of Samothrace
- DAFNI (Network of Aegean Islands for Sustainability)

***Work group:***

- The energy representative of the municipality
- The technical department of the municipality
- DAFNI (Network of Aegean Islands for Sustainability)

### 5.2. Staff capacity

It is absolutely clear that the ISEAP implementation and monitoring will require the allocation of devoted and committed staff that will be able to set the ISEAP as their occupation priority. The staff is consisted of:

- The energy representative of the municipality of Samothrace (1 person)
- The technical department of the municipality of Samothrace (2 persons)

Furthermore, it is of the municipality's main pursuit to involve the most of the citizens and especially school students in the process of the ISEAP implementation on a volunteering base, especially for the period when energy audits and intense monitoring processes will be taking place.

### 5.3. Involvement of stakeholders

In order to reassure the active involvement of stakeholders in the implementation of the ISEAP frequent ISEAP info days and conferences will be organized.

Further involvement of the citizens is expected since periodically they will be asked to fill in energy audits in order to monitor the progress and change in their energy behaviours.

Also, specialized meetings and discussions will be held among the steering committee and the stakeholders related to specific sectors in all steps of the ISEAP implementation in order to maintain their interest and commitment to the ISEAP targets.

### 5.4. Budget

(The budget will be finalized upon the final approval of the ISEAP)

### 5.5. Financing sources and instruments

Securing the necessary financing sources and instruments for the successful implementation of the ISEAP will be one of the major challenges for the municipality. In the following list some of the expected financing sources are presented.

- Municipal budget allocations
- Regional budget allocations
- Loans
- Revolving funds
- NSRF (National Strategic Reference Framework)
- European Investment Bank
- Private investments
- Citizen cooperatives
- Third party financing
- Public and private sector partnerships

### 5.6. Monitoring and follow-up

The Energy - CO<sub>2</sub> and ISEAP monitoring tools developed under the ISLE-PACT project will be used in combination to energy audits in order to monitor the success of the ISEAP and the development of Samothrace's energy profile. The monitoring task will be taken over by the work group. An ISEAP monitoring template and a respective report will be submitted at least every two years to the European Commission in order to highlight the progress in the ISEAP implementation.

## ***Bibliography***



***Elaboration:***



***Local and regional authorities:***

Municipality of Samothrace



***Financial support:***



***Disclaimer:***

The sole responsibility for the content of this document lies with the authors. It does not necessarily reflect the opinion of the European Communities. The European Commission is not responsible for any use that may be made of the information contained therein.